

# THREE PUZZLES ON MATHEMATICS, COMPUTATION, AND GAMES

GIL KALAI

HEBREW UNIVERSITY OF JERUSALEM AND YALE UNIVERSITY

Abstract. In this lecture I will talk about three mathematical puzzles involving mathematics and computation that have preoccupied me over the years. The first puzzle is to understand the amazing success of the simplex algorithm for linear programming. The second puzzle is about errors made when votes are counted during elections. The third puzzle is: are quantum computers possible?

## 1. Introduction

The theory of computing and computer science as a whole are precious resources for mathematicians. They bring up new questions, profound new ideas, and new perspectives on classical mathematical objects, and serve as new areas for applications of mathematics and mathematical reasoning. In my lecture I will talk about three mathematical puzzles involving mathematics and computation (and, at times, other fields) that have preoccupied me over the years. The connection between mathematics and computing is especially strong in my field of combinatorics, and I believe that being able to personally experience the scientific developments described here over the past three decades may give my description some added value. For all three puzzles I will try to describe in some detail both the large picture at hand, and zoom in on topics related to my own work.

Puzzle 1: What can explain the success of the simplex algorithm? Linear programming is the problem of maximizing a linear function  $\phi$  subject to a system of linear inequalities. The set of solutions to the linear inequalities is a convex polyhedron. The simplex algorithm was developed by George Dantzig. Geometrically it can be described as moving from one vertex to a neighboring vertex so as to improve the value of the objective function. The simplex algorithm is one of the most successful mathematical algorithms. The explanation of this success is an applied, vaguely stated problem, that is connected with computers. The problem has strong relations to the study of convex polytopes, which have fascinated mathematicians from ancient times and which served as a starting point for my own research.

If I were required to choose the single most important mathematical explanation for the success of the simplex algorithm, my choice would point to a theorem about another algorithm. I would choose Khachiyan's 1979 theorem asserting that there is a polynomial-time algorithm for linear programming (or briefly  $\in P$ ). Khachiyan's theorem refers to the ellipsoid method, and the answer is given in the language of computational complexity, a language that did not exist when the question was originally raised.

In Section 2 we will discuss the mathematics of the simplex algorithm, convex polytopes, and related mathematical objects. We will concentrate on the study of the diameter of graphs of polytopes and the discovery of randomized subexponential variants of the simplex

---

Work supported in part by ERC advanced grant 320924, BSF grant 2014290, and NSF grant DMS-1300120.




Figure 1. Right: recounts in the 2000 election (drawing: Neta Kalai). Left: Hex-based demonstration in Nate Silver's site

algorithm, I'll mention recent advances: the disproof of the Hirsch conjecture by Santos and the connection between linear programming and stochastic games leading to subexponential lower bounds, discovered by Friedmann, Hansen and Zwick, for certain pivot rules.

Puzzle 2: What methods of election are immune to errors in the counting of votes? The second puzzle can be seen in the context of understanding and planning of electoral methods. We all remember the vote recount in Florida in the 2000 US presidential election. Is the American electoral system, based on electoral votes, inherently more susceptible to mistakes than the majority system? And what is the most stable method? Together with Itai Benjamini and Oded Schramm we investigated these and similar problems. We asked the following question: given that there are two candidates, and each voter chooses at random and with equal probability (independently) between them, what is the stability of the outcome, when in the vote-counting process one percent of the votes is counted incorrectly? (The mathematical jargon for these errors is "noise.") We defined a measure of noise sensitivity of electoral methods and found that weighted majority methods are immune to noise; namely, when the probability of error is small, the chances that the election outcome will be affected diminish. We also showed that every stable-to-noise method is "close" (in some mathematical sense) to a weighted majority method. In later work, O'Donnell, Oleszkiewicz, and Mossel showed that the majority system is the most stable to noise among all nondictatorial methods.

Our work was published in 1999, a year before the question appeared in the headlines in the US presidential election, and it did not even deal with the subject of elections. We were interested in understanding the problem of planar percolation, a mathematical model derived from statistical physics. In our article we showed that if we adopt an electoral system based on the model of percolation, this method will be very sensitive to noise. This insight is of no use at all in planning good electoral methods, but it makes it possible to understand interesting phenomena in the study of percolation.

After the US presidential election in 2000 we tried to understand the relevance of our model and the concepts of stability and noise in real-life elections: is the measure for noise stability that we proposed relevant, even though the basic assumption that each voter randomly votes with equal probability for one of the candidates is far from realistic? The attempt to link mathematical models to questions about elections (and, more generally, to social science) is fascinating and complicated, and a pioneer in this study was the Marquis de Condorcet, a mathematician and philosopher, a democrat, a human rights advocate, and a feminist




Figure 2. Left – It is commonly believed that by putting more effort into creating qubits the noise level can be pushed down to as close to zero as we want. Once the noise level is low enough and crosses the green “threshold” line, quantum error correction allows logical qubits to reduce the noise even further with a small amount of additional effort. Very high-quality topological qubits are also expected. This belief is supported by “Schoelkopf’s law,” the quantum computing analogue of Moore’s law. Right – My analysis gives good reasons to expect that we will not be able to reach the threshold line, that all attempts for good quality logical and topological qubits will fail, and that Schoelkopf’s law will break down before useful qubits can be created.

who lived in France in the 18th century. One of Condorcet’s findings, often referred to as Condorcet’s paradox, is that when there are three candidates, the majority rule can sometimes lead to cyclic outcomes, and it turns out that the probability for cyclic outcomes depends on the stability to noise of the voting system. In Section 3 we will discuss noise stability and sensitivity, and various connections to elections, percolation, games, and computational complexity.

Puzzle 3: Are quantum computers possible? A quantum computer is a hypothetical physical device that exploits quantum phenomena such as interference and entanglement in order to enhance computing power. The study of quantum computation combines fascinating physics, mathematics, and computer science. In 1994, Peter Shor discovered that quantum computers would make it possible to perform certain computational tasks hundreds of orders of magnitude faster than ordinary computers and, in particular, would break most of today’s encryption methods. At that time, the first doubts about the model were raised, namely that quantum systems are of a “noisy” and unstable nature. Peter Shor himself found a key to a possible solution to the problem of “noise”: quantum error-correcting codes and quantum fault-tolerance. In the mid-1990s, three groups of researchers showed that “noisy” quantum computers still made it possible to perform all miracles of universal quantum computing, as long as engineers succeeded in lowering the noise level below a certain threshold.

A widespread opinion is that the construction of quantum computers is possible, that the remaining challenge is essentially of an engineering nature, and that such computers will be built in the coming decades. Moreover, people expect to build in the next few years quantum codes of the quality required for quantum fault-tolerance, and to demonstrate the concept of “quantum computational supremacy” on quantum computers with 50 qubits. My position is that it will not be possible to construct quantum codes that are required for quantum computation, nor will it be possible to demonstrate quantum computational superiority in

other quantum systems. My analysis, based on the same model of noise that led researchers in the 1990s to optimism about quantum computation, points to the need for different analyses on different scales. It shows that small-scale noisy quantum computers (of a few dozen qubits) express such primitive computational power that it will not allow the creation of quantum codes that are required as building blocks for quantum computers on a larger scale.

Near-term plans for “quantum supremacy”. By the end of 2017,<sup>1</sup> John Martinis’ group is planning to conclude a decisive experiment for demonstrating “quantum supremacy” on a 50-qubit quantum computer. See [Boixo, Isakov, Smelyanskiy, Babbush, Ding, Jiang, Bremner, Martinis, and Neven \(n.d.\)](#). As they write in the abstract, “A critical question for the field of quantum computing in the near future is whether quantum devices without error correction can perform a well-defined computational task beyond the capabilities of state-of-the-art classical computers, achieving so-called quantum supremacy.” The group intends to study “the task of sampling from the output distributions of (pseudo-)random quantum circuits, a natural task for benchmarking quantum computers.” The objective of this experiment is to fix a pseudo-random circuit, run it many times starting from a given initial state to create a target state, and then measure the outcome to reach a probability distribution on 0-1 sequences of length 50.

The analysis described in Section ??, based on [Kalai and Kindler \(2014\)](#), suggests that the outcome of this experiment will have vanishing correlation with the outcome expected on the “ideal” evolution, and that the experimental outcomes are actually very, very easy to simulate classically. They represent distributions that can be expressed by low-degree polynomials. Testing our alternative can be carried out already with 10–30 qubits (see Fig. 3), and even examined on the 9-qubit experiments described in [Neill et al. \(n.d.\)](#).

The argument for why quantum computers are infeasible is simple.

First, the answer to the question whether quantum devices without error correction can perform a well-defined computational task beyond the capabilities of state-of-the-art classical computers, is negative. The reason is that devices without error correction are computationally very primitive, and primitive-based supremacy is not possible.

Second, the task of creating quantum error-correcting codes is harder than the task of demonstrating quantum supremacy,

Quantum computers are discussed in Section ??, where we first describe the model, then explain the argument for why quantum computers are not feasible, then describe predictions for current and near-future devices, and finally draw some predictions for general noisy quantum systems. The section presents my research since 2005, and it is possible that decisive evidence against my analysis will be announced in a matter of days or a bit later. This is a risk that I and the reader will have to take.

Perspective and resources. For books on linear programming see [J. Matoušek and Gärtner \(2007\)](#) and [Schrijver \(1986\)](#). See also [Schrijver \(2003a\)](#), [b](#), [c](#) three-volume book on combinatorial optimization, and a survey article by [Todd \(2002\)](#) on the many facets of linear programming. For books on convex polytopes see Ziegler’s book (1995) and Grünbaum’s book (1967; 2003). For game theory, let me recommend the books by [Maschler, Solan, and Zamir \(2013\)](#) and [Karlin and Peres \(2017\)](#). For books on computational complexity, the reader is referred to [Goldreich \(2008\)](#), [2010](#), [Arora and Barak \(2009\)](#) and Wigderson (2017, available on the author’s homepage). For books on Boolean functions and noise sensitivity

---

<sup>1</sup>Of course, for such a major scientific project, a delay of a few months and even a couple of years is reasonable.

(Tu ser




Figure 3. Quantum supremacy via pseudo-random circuits can be tested for 10–30 qubits. The orange line represents the limit for classical computers. [Kalai and Kindler \(2014\)](#) suggest close-to-zero correlation between the experimental results and outcomes based on the noiseless evolution, and further suggests that the experimental results are very easy to simulate (the green line).

see [O’Donnell \(2014\)](#) and [Garban and Steif \(2015\)](#). The discussion in Section 3 complements my 7ECM survey article “Boolean functions; Fourier, thresholds, and noise.” It is also related to [Kalai and Safra \(2006\)](#) survey on threshold phenomena and influence. For quantum information and computation the reader is referred to [Nielsen and Chuang \(2000\)](#). The discussion in Section ?? follows my Notices AMS paper (2016) and its expanded version on the ArXiv ([Kalai n.d.](#)).

This can be written briefly as: Maximize  $c \cdot x$ , subject to  $Ax \leq b$ , where vectors are column vectors,  $x = (x_1, x_2, \dots, x_d)$ ,  $A = (a_{ij})_{1 \leq i \leq m, 1 \leq j \leq d}$ ,  $b = (b_1, b_2, \dots, b_m)$  and  $c = (c_1, c_2, \dots, c_d)$ .

The set of solutions to the inequalities is called the feasible polyhedron and the simplex algorithm consists of reaching the optimum by moving from one vertex to a neighboring vertex. The precise rule for this move is called “the pivot rule.”

Here is an example where  $d = 2$  :

Maximize  $x_1 + x_2 + \dots + x_d$ , subject to:  $0 \leq x_i \leq 1, i = 1, 2, \dots,$

In this case, the feasible polyhedron is the  $d$ -dimensional cube. Although the number of vertices is exponential,  $2^d$ , for every pivot rule it will take at most  $d$  steps to reach the optimal vertex  $(1, 1, \dots, 1)$ .

The study of linear programming and its major applications in economics was pioneered by Kantorovich and Koopmans in the early 1940s. In the late 1940s George Dantzig realized the importance of linear programming for planning problems, and introduced the simplex algorithm for solving linear programming problems. Linear programming and the simplex algorithm are among the most celebrated applications of mathematics. The question can be traced back to an 1827 paper by Fourier. (We will come across Joseph Fourier and John von Neumann in every puzzle.)

For ICM 2018 participatory

to a cube, and all of its vertices are actually visited by the algorithm. Similar results for other pivot rules were subsequently found by several authors.

- (2) Klee–Walkup counterexample to the Hirsch Conjecture (concern 2). [Klee and Walkup \(1967\)](#) found an example of an unbounded polyhedron for which the Hirsch conjecture fails. They additionally showed that also in the bounded case one cannot realize the Hirsch bound by monotone paths. The Hirsch conjecture for polytopes remained open. On the positive side, Barnette and Larman gave an upper bound for the diameter of graphs of  $d$ -polytopes with  $f$  facets that are exponential in  $d$  but linear in  $f$ .
- (3)  $\text{P} \in \text{P}$ , via the ellipsoid method (explanation 1). In 1979 Khachiyan proved that  $\text{P} \in \text{P}$ , namely, that there is a polynomial-time algorithm for linear programming. This was a major open problem ever since the complexity classes P and NP were described in the early 1970s. Khachiyan’s proof was based on Yudin, Nemirovski, and Shor’s ellipsoid method, which is not practical for LP.
- (4) Amazing consequences. [Grötschel, Lovász, and Schrijver \(1981\)](#) and [Grötschel, Lovász, and Schrijver \(1993\)](#) found many theoretical applications of the ellipsoid method, well beyond its original scope, and found polynomial-time algorithms for several classes of combinatorial optimization problems. In particular, they showed that semi-definite programming, the problem of maximizing a linear objective function on the set of  $n \times n$  positive definite matrices, is in P.
- (5) Interior points methods (explanation 2). For a few years it seemed like there was a tradeoff between theoretical worst-case behavior and practical behavior. This feeling was shattered with Karmarkar’s 1984 interior point method and subsequent theoretical and practical discoveries.
- (6) Is there a strongly polynomial algorithm for LP? (concern 3)? All known polynomial-time algorithms for LP require a number of arithmetic operations that is polynomial in  $n$  and  $m$  and linear in  $\log n$ , the number of bits required to represent the input. Strongly polynomial algorithms are algorithms where the number of arithmetic operations is polynomial in  $n$  and  $m$  and does not depend on  $\log n$ , and no strongly polynomial algorithm for LP is known.
- (7) Average case complexity (explanation 3). [Borgwardt \(1982\)](#) and [Smale \(1983\)](#) pioneered the study of average-case complexity for linear programming. Borgwardt showed polynomial average-case behavior for a certain model that exhibits rotational symmetry. In 1983, Haimovich and Adler proved that the average length of the shadow boundary path from the bottom vertex to the top, for the regions in an arbitrary arrangement of  $d$ -hyperplanes in  $\mathbb{R}^d$  is at most  $n^{1/2}$ . [Adler and Megiddo \(1985\)](#), [Adler, R. M. Karp, and Shamir \(1987\)](#), and [Todd \(1986\)](#) proved quadratic upper bounds for the simplex algorithm for very general random models that exhibit certain sign invariance. All these results are for the shadow boundary rule introduced by Gass and Saaty.
- (8) Smoothed complexity (explanation 4). [Spielman and Teng \(2004\)](#) showed that for the shadow-boundary pivot rule, the average number of pivot steps required for a random Gaussian perturbation of variance  $\sigma$  of an arbitrary LP problem is polynomial in  $n$ ,  $m$ , and  $\sigma^{-1}$ . (The dependence on  $\sigma$  is at least  $n^{1/5}$ .) For many, the Spielman–Teng result provides the best known explanation of the good performance of the simplex algorithm.
- (9) LP algorithms in fixed dimensions (explanation 5). [Megiddo \(1984\)](#) found for a fixed value of  $d$  a linear-time algorithm for LP problems with  $n$  variables. Subsequent simple randomized algorithms were found by [Clarkson \(1995b\)](#), [Clarkson \(1995a\)](#), [Seidel](#)

- (1991), and Sharir and Welzl (1992). Sharir and Welzl defined a notion of abstract linear programming problems for which their algorithm applies.
- (10) Quasi-polynomial bounds for the diameter (explanation 6). Kalai (1992b) and Kalai and Kleitman (1992) proved a quasipolynomial upper bound for the diameter of graphs of  $d$ -polytopes with  $n$  facets.
  - (11) Sub-exponential pivot rules (explanation 7). Kalai (1992b) and Matoušek, Sharir and Welzl (1992) proved that there are randomized pivot rules that require in expectation a subexponential number of steps  $\exp(\sqrt{n \log n})$ . One of those algorithms is the Sharir–Welzl algorithm.
  - (12) Subexponential lower bounds for abstract problems (concern 4). Matousek94 and T. Matoušek J. S. (2006) found a subexponential lower bound for the number of steps required by two basic randomized simplex pivot rules, for abstract linear programs.
  - (13) Santos (2012) found a counterexample to the Hirsch conjecture (concern 5).
  - (14) The connection with stochastic games. Ludwig (1995) showed that the subexponential randomized pivot rule can be applied to the problem posed by Condon of finding the value of certain stochastic games. For these games this is the best known algorithm.
  - (15) Subexponential lower bounds for geometric problems (concern 6). Building on the connection with stochastic games, subexponential lower bounds for genuine LP problems for several randomized pivot rules were discovered by Friedmann, Hansen, and Zwick (2011), 2014.

Most of the developments listed above are on the theoretical side of linear programming research and there are also many other theoretical aspects. Improving the linear algebra aspects of LP algorithms and tailoring the algorithm to specific structural and sparsity features of optimization tasks are both very important undertakings and pose interesting mathematical challenges. Also of great importance are widening the scope of applications, and choosing the right LP modeling of real-life problems. There is also much theoretical and practical work on special families of LP problems.

2.3. Complexity 1: P, NP, and  $\text{P}^{\text{NP}}$ . The complexity of an algorithmic task is the number of steps required by a computer program to perform the task. The complexity is given in terms of the input size, and usually refers to the worst case behavior given the input size. An algorithmic task is in P (called “polynomial” or “efficient”) if there is a computer program that performs the task in a number of steps that is bounded above by a polynomial function of the input size. (By contrast, an algorithmic task that requires an exponential number of steps in terms of the input size is referred to as “exponential” or “intractable.”)

The notion of a nondeterministic algorithm is one of the most important notions in the theory of computation. One way to look at nondeterministic algorithms is to refer to algorithms where some or all steps of the algorithm are chosen by an almighty oracle. Decision problems are algorithmic tasks where the output is either “yes” or “no.” A decision problem is in NP if when the answer is yes, it admits a nondeterministic algorithm with a polynomial number of steps in terms of the input size. In other words, if for every input for which the answer is “yes,” there is an efficient proof demonstrating it, namely, a polynomial-size proof that a polynomial-time algorithm can verify. An algorithmic task is NP-hard if a subroutine for solving it allows solving any problem in NP in a polynomial number of steps. An NP-complete problem is an NP-hard problem in NP. The papers by Cook (1971), and Levin (1973) that introduce P, NP, and NP-complete problems, and raising the conjecture that P






Figure 4. The (conjectured) view of some main computational complexity classes. The red ellipse represents efficient quantum algorithms. (See Section ??.)

$\neq$  NP, and the paper by [R. Karp \(1972\)](#) that identifies 21 central algorithmic problems as NP-complete, are among the scientific highlights of the 20th century.

Graph algorithms play an important role in computational complexity. Perfect matching, the algorithmic problem of deciding if a given graph contains a perfect matching, is in NP because exhibiting a perfect matching gives an efficient proof that a perfect matching exists. Perfect matching is in co-NP (namely, “not having a perfect matching” is in NP) because by a theorem of Tutte, if does not contain a perfect matching there is a simple efficient way to demonstrate a proof. An algorithm by Edmonds shows that Perfect matching is in P. Hamiltonian cycle, the problem of deciding if contains a Hamiltonian cycle, is also in NP: exhibiting a Hamiltonian cycle gives an efficient proof of its existence. However, this problem is NP-complete.

Remark 2.1. P, NP, and co-NP are three of the lowest computational complexity classes in the polynomial hierarchy PH, which is a countable sequence of such classes, and there is a rich theory of complexity classes beyond PH. Our understanding of the world of computational complexity depends on a whole array of conjectures:  $NP \neq P$  is the most famous one. A stronger conjecture asserts that PH does not collapse, namely, that there is a strict inclusion between the computational complexity classes defining the polynomial hierarchy. Counting the number of perfect matchings in a graph represents an important complexity class #P which is beyond the entire polynomial hierarchy.

2.3.1. The complexity of LP, Khachiyan’s theorem, and the quest for strongly polynomial algorithms. It is known that general LP problems can be reduced to the decision problem to decide if a system of inequalities has a solution. It is therefore easy to see that LP is in NP. All we need is to identify a solution. The duality of linear programming implies that LP is in co-NP (namely, “not having a solution” is in NP). For an LP problem, let be the number of bits required to describe the problem. (Namely, the entries in the matrix and vectors and .)

Theorem 2.2 (Hačijan 1979).  $\in \mathbb{P}$ . The ellipsoid method requires a number of arithmetic steps that is polynomial in  $n$ ,  $d$ , and  $L$ .<sup>2</sup>

The dependence on  $L$  in Khachiyan's theorem is linear and it was met with some surprise. We note that the efficient demonstration that a system of linear inequalities has a feasible solution requires a number of arithmetic operations that is polynomial in  $n$  and  $d$  but does not depend on  $L$ . The same applies to an efficient demonstration that a system of linear inequalities is infeasible. Also the simplex algorithm itself requires a number of arithmetic operations that, while not polynomial in  $n$  and  $d$  in the worst case, does not depend on  $L$ . An outstanding open problem is:

Problem 1. Is there an algorithm for LP that requires a polynomial number in  $n$  and  $d$  of arithmetic operations that does not depend on  $L$ ?

Such an algorithm is called a strongly polynomial algorithm, and this problem is one of Smale's "problems for the 21st century." Strongly polynomial algorithms are known for various LP problems. The Edmonds–Karp algorithm (1972) is a strongly polynomial algorithm for the maximal flow problem. Tardos (1986) proved that when we fix the feasible polyhedron (and even only the matrix used to define the inequalities) there is a strongly polynomial algorithm independent of the objective function (and the vector  $c$ ).

## 2.4. Diameter of graphs of polytopes and related objects.

2.4.1. Quasi-polynomial monotone paths to the top. A few important definitions: a  $d$ -dimensional polyhedron  $P$  is simple if every vertex belongs to  $d$  edges (equivalently, to  $d$  facets.) A linear objective function  $\phi$  is generic if  $\phi(v) \neq \phi(w)$  for two vertices  $v \neq w$ . The top of  $P$  is a vertex for which  $\phi$  attains the maximum or an edge on which  $\phi$  is not bounded. Given a vertex  $v$  of a facet  $F$  is active w.r.t.  $\phi$  if  $\sup_{w \in F} \phi(w) \geq \phi(v)$ .

Theorem 2.3 (Kalai 1992b). Let  $P$  be a  $d$ -dimensional simple polyhedron, let  $\phi$  be a generic linear objective function, and let  $v$  be a vertex of  $P$ . Suppose that there are  $k$  active facets w.r.t.  $\phi$ . Then there is a monotone path of length at most  $\leq \log^{d+1} k$  from  $v$  to the top.

Proof: Let  $\ell(v, \phi)$  denote the maximum value of the minimum length of a monotone path from  $v$  to the top. (Here, "the top" refers to either the top vertex or a ray on which  $\phi$  is unbounded.)

Claim: Starting from a vertex  $v$ , in  $\ell(v, \phi)$  steps one can reach either the top or vertices in at least  $k/2 + 1$  active facets.

Proof: Let  $F$  be a set of  $k/2 - 1$  active facets. Remove the inequalities defined by these facets to obtain a new feasible polyhedron  $P'$ . If  $v$  is not a vertex anymore than  $v$  belongs to some facet in  $F$ . If  $v$  is still a vertex there is a monotone path of length at most  $\ell(v, \phi)$  from  $v$  to the top. If one of the edges in the path leaves  $F$  then it reaches a vertex belonging to a facet in  $F$ . Otherwise it reaches the top. Now if a monotone path from  $v$  (in  $P'$ ) of length  $\ell(v, \phi)$  cannot take us to the top, there must be such a path that takes us to a vertex in some facet belonging to every set of  $k/2 - 1$  facets, and therefore to vertices in at least  $k/2 + 1$  facets.

Proof of the Theorem: Order the active facets of  $P$  according to their top vertex. In  $\ell(v, \phi) \lceil \log_2(k/2) \rceil$  steps we can reach from  $v$  either the top, or a vertex in the top  $\lceil \log_2(k/2) \rceil$  active facets. In  $\lceil \log_2(k/2) \rceil - 1$  steps we reach the top of that facet. This leaves us with at most  $\lceil \log_2(k/2) \rceil$  active facets w.r.t.  $\phi$ , and yields

<sup>2</sup>Khachiyan proved that the number of required arithmetic operations is polynomial in  $d$  and  $n$ , and linear in  $L$ . This bound becomes quadratic in  $L$  if we count bit-operations rather than arithmetic operations.

$$(2.1) \quad \dots (d, d) \leq 2 \binom{d}{\lfloor d/2 \rfloor} + \dots (d-1, d-1),$$

which implies the bound given by the theorem. (In fact, it yields  $\dots(d, d) \leq \dots \cdot \binom{d+\lceil \log_2 d \rceil}{d}$ .)

Remark 2.4. A monotone path can be regarded as a nondeterministic version of the simplex algorithm where the pivot steps are chosen by an oracle.

Remark 2.5. Let me mention a few of the known upper bounds for the diameter of  $d$ -polytopes with  $f$  facets in some special families of polytopes. The Hirsch bound was proved for duals of vertex decomposable spheres (Provan and Billera 1980), transportation polytopes M. L. Balinski (1984), and duals of flag spheres Adiprasito and Benedetti (2014). Naddef (1989) proved that 0-1  $d$ -polytopes have diameter at most  $f$ ; Polynomial upper bounds were proved for dual-neighborly polytopes (Kalai 1991), and unimodular polytopes Dyer and Frieze (1994). Todd (2014) improved the bound of Theorem 2.3 to  $(f - d)^{\log d}$  and further small improvements followed.

2.4.2. Reductions, abstractions, and Hähnle’s conjecture. Upper bounds for the diameter are attained at simple  $d$ -polytopes, namely,  $d$ -polytopes where every vertex belongs to exactly  $d$  facets. A more general question deals with the dual graphs for triangulations of  $(d-1)$ -spheres with  $f$  vertices. All the known upper bounds apply to dual graphs of pure normal  $(d-1)$  simplicial complexes. Here “pure” means that all maximal faces have the same dimension and “normal” means that all links of dimension one or more are connected. An even more general framework was proposed by Eisenbrand, Hähnle, Razborov, and Rothvoß (2010).

Problem 2. Consider pairwise-disjoint nonempty families  $\mathcal{F}_1, \mathcal{F}_2, \dots, \mathcal{F}_d$  of degree  $d$  monomials with  $d$  variables  $(x_1, x_2, \dots, x_d)$  with the following property: for every  $1 \leq i < j \leq d$ , if  $x_i \in \mathcal{F}_i$  and  $x_j \in \mathcal{F}_j$  then there is a monomial  $x_j \in \mathcal{F}_j$ , such that the greatest common divisor of  $x_i$  and  $x_j$  divides  $x_j$ . How large can  $d$  be?<sup>3</sup>

A simple argument shows that the maximum denoted by  $\dots(d, d)$  satisfies relation (2.1).

Conjecture 3 (Hähnle 2010).  $\dots(d, d) \leq (d-1) + 1$ .

One example of equality is to let  $\mathcal{F}_i$  be all monomials  $x_1^{i_1} x_2^{i_2} \dots x_d^{i_d}$  with  $i_1 + i_2 + \dots + i_d = d - i + 1, i = 1, \dots, d$ . Another example of equality is to let  $\mathcal{F}_i$  be a single monomial of the form  $x_i^{d-i} x_{i+1}^i$  ( $i = \lfloor d/2 \rfloor$  and  $d \equiv 0 \pmod 2$ ).

2.5. Santos’ counterexample. The  $d$ -step conjecture is a special case of the Hirsch conjecture known to be equivalent to the general case. It asserts that a  $d$ -polytope with  $2d$  facets has diameter at most  $d$ . Santos formulated the following strengthening of the  $d$ -step conjecture. Santos’ Spindle (working conjecture): Let  $P$  be a  $d$ -polytope with two vertices  $u$  and  $w$  such that every facet of  $P$  contains exactly one of them. (Such a polytope is called a  $d$ -spindle.) Then the graph-distance between  $u$  and  $w$  (called simply the length of the spindle) is at most  $d$ . Santos proved

Theorem 2.6 (Santos 2012).

(i) The spindle conjecture is equivalent to the Hirsch conjecture. More precisely, if there is a  $d$ -spindle with  $f$  facets and length greater than  $d$  then there is a counter-example to the Hirsch conjecture of dimension  $d-1$  and with  $2d-2$  facets.

<sup>3</sup>To see the connection to diameter of polytopes note that a vertex  $w$  of a  $d$ -polytope  $P$  corresponds to a set  $S$  of  $d$  facets. Now, let  $F_{k+1}$  be the family of  $d$ -subsets of facets that correspond to vertices in the graph of  $P$  at distance  $k$  from  $w$ .




Figure 5. Left: a spindle, right: the Klee–Minty cube

(ii) There is a 5-spindle of length 6.

The initial proof of part (2) had 48 facets and 322 vertices, leading to a counterexample in dimension 43 with 86 facets and estimated to have more than a trillion vertices. [Matschke, Santos, and Weibel \(2015\)](#) found an example with only 25 facets leading to a counterexample of the Hirsch conjecture for a 20-polytope with 40 facets and 36,442 vertices. An important lesson from Santos’ proof is that although reductions are available to simple polytopes and simplicial objects, studying the problem for general polytopes has an advantage. In the linear programming language this tells us that degenerate problems are important.

Problem 4. Find an abstract setting for the diameter problem for polytopes that will include graphs of general polytopes, dual graphs for normal triangulations, and families of monomials.

2.6. Complexity 2: Randomness in algorithms. One of the most important developments in the theory of computing is the realization that adding an internal randomness mechanism can enhance the performance of algorithms. Two early manifestations of this idea are Monte Carlo methods by Ulam, von Neumann, and Metropolis, and a factoring algorithm by Berlekamp. Since the mid-1970s, and much influenced by Michael Rabin, randomized algorithms have become a central paradigm in computer science. One of the great achievements was the polynomial time randomized algorithms for testing primality by [Solovay and Strassen \(1977\)](#) and [Rabin \(1980\)](#). Rabin’s algorithm was related to an earlier breakthrough – Miller’s algorithm for primality (1976), which was polynomial time conditioned on the validity of the generalized Riemann hypothesis. The newly randomized algorithms for testing primality were not only theoretically efficient but also practically excellent! Rabin’s paper thus gave “probabilistic proofs” that certain large numbers, like  $2^{400} - 593$ , are primes, and this was a new kind of a mathematical proof. (A deterministic polynomial algorithm for primality was achieved by [Agrawal, Kayal, and Saxena 2004](#).) [Lovász \(1979\)](#) offered a randomized efficient algorithm for perfect matching in bipartite graphs: Associate to a bipartite graph with vertices on each side, its generic  $\times$  adjacency matrix, where  $a_{ij}$  is zero if the  $i$ th vertex on one side is not adjacent to the  $j$ th vertex on the other side, and  $a_{ij}$  is a variable otherwise. Note the

determinant of  $A$  is zero if and only if  $G$  has no perfect matching. This can be verified with high probability by replacing  $a_{ij}$  with random mod  $p$  elements for a large prime  $p$ .

We have ample empirical experience and some theoretical support of the fact that pseudo-random number generators are practically sufficient for randomized algorithms. We also have strong theoretical support that weak and imperfect sources of randomness are sufficient for randomized algorithms.

A class of randomized algorithms which are closer to early Monte Carlo algorithms and to randomized algorithms for linear programming, are algorithms based on random walks. Here are two examples: counting the number of perfect matchings for a general graph is a #P-complete problem. [Jerrum and Sinclair \(1989\)](#) and [Jerrum, Sinclair, and Vigoda \(2001\)](#) found an efficient random-walk-based algorithm for estimating the number of perfect matchings up to a multiplicative constant  $1 + \epsilon$ . [Dyer, Frieze, and Kannan \(1991\)](#) found an efficient algorithm based on random walks to estimate the volume of a convex body in  $\mathbb{R}^d$ . Both these algorithms rely on the ability to prove a spectral gap (or “expansion”) for various Markov chains. Approximate sampling is an important subroutine in the algorithms we have just mentioned and we can regard exact or approximate sampling as an important algorithmic task in its own, as the ability to sample is theoretically and practically important. We mention algorithms by [Aldous \(1990\)](#) and [Broder \(1989\)](#) and [Wilson \(1996\)](#) for sampling spanning trees and by [Randall and Wilson \(1999\)](#) for sampling configurations of the Ising models.

**Remark 2.7.** The probabilistic method, when applied to problems with no mention of probability, led to major developments in combinatorics and several other mathematical disciplines. (See [Alon and Spencer \(2016\)](#).) An interesting question is, to what extent can proofs obtained by the probabilistic method be transformed into efficient randomized algorithms?

**2.7. Subexponential randomized simplex algorithms.** We start with the following simple observation. Consider the following two sequences. The first sequence is defined by  $x_1 = 1$  and  $x_{i+1} = x_i + x_i/2$ , and the second sequence is defined by  $x_1 = 1$  and  $x_{i+1} = x_i + (x_1 + \dots + x_i)/i$ . Then  $x_i = \Theta(\log i)$ , and  $y_i = \Theta(\sqrt{i})$ .

Next, we describe two basic randomized algorithms for linear programming.

**Random Edge:** Choose an improving edge uniformly at random and repeat.

**Random Facet:** Given a vertex  $v$ , choose a facet  $F$  containing  $v$  uniformly at random. Use the algorithm recursively inside  $F$  until reaching its top  $t$ , and then repeat. (When  $t = v$ , move to the top vertex.)

Random Facet (along with some variants) is the first strongly subexponential algorithm for linear programming, as well as the first subexponential pivot rule for the simplex algorithm.

**Theorem 2.8** ([J. Matoušek and Welzl 1992](#); [Kalai 1992b](#)). Let  $P$  be a  $d$ -dimensional simple polyhedron, let  $\phi$  be a linear objective function that is not constant on any edge of  $P$ , and let  $v$  be a vertex of  $P$ . Suppose that there are  $k$  active facets w.r.t.  $\phi$ . Then Random Facet requires an expected number of at most

$$(2.2) \quad \exp(d \cdot \sqrt{\log k})$$

steps from  $v$  to the TOP.

**Proof:** Write  $\tau(v, F)$  for the expected number of pivot steps. The expected number of pivot steps to reach  $t$ , the top of the facet chosen first, is bounded above by  $\tau(v, F) - 1$ . With probability  $1/k$ ,  $t$  is the  $k$ th lowest top among the top vertices of the active facets containing  $v$ . This yields

$$T(d, \epsilon) \leq T(d-1, \epsilon) + \frac{1}{\epsilon} \sum_{i=1}^{d-1} T(i, \epsilon).$$

(Here, we took into account that  $T(1, \epsilon)$  itself might be the lowest top.) This recurrence relation leads (with some effort) to equation (2.2).  $\square$

Note that the argument applies to abstract objective functions on polyhedra (and, more generally, to abstract LP problems as defined by Sharir–Welzl). The appearance of  $\exp(\sqrt{d})$  is related to our observation on the sequence  $T(d, \epsilon)$ : we get the recurrence relation  $T(d+1, \epsilon) = T(d, \epsilon) + (T(1, \epsilon) + T(2, \epsilon) + \dots + T(d, \epsilon)) / \epsilon$  for the expected number of steps,  $T(d, \epsilon)$ , for Random Facet for abstract objective functions in the discrete  $d$ -cube. There are few versions of Random Facet that were analyzed (giving slightly worse or slightly better upper bounds). For the best known one see Hansen and Zwick (2015). There are also a few ideas for improved versions: we can talk about a random face rather than a random facet, to randomly walk up and down before setting a new threshold, and to try to learn about the problem and improve the random choices. The powerful results about lower bounds suggest cautious pessimism.

Remark 2.9. Amenta (1994) used Sharir and Welzl’s abstract LP problem to settle a Helly-type conjecture of Grünbaum and Motzkin. Halman (2004) considered new large classes of abstract LP problems, found many examples, and also related them to Helly-type theorems.

2.7.1. Lower bounds for abstract problems. As we will see, the hope for better upper bounds for Random Facet and related randomized pivot rules was tempered by formidable examples to the contrary.

Theorem 2.10 (J. Matoušek 1994). There exists an abstract objective function of the  $d$ -cube on which Random Facet requires on expectation at least  $\exp(\sqrt{d})$  steps.

Matoušek described a large class of AOF’s and showed his lower bound to hold in expectation for a randomly chosen AOF. Gärtner proved (1998) that for a geometric AOF in this family, Random Facet requires an expected quadratic time.

Theorem 2.11 (T. Matoušek J. S. 2006). There exists an AOF on the  $d$ -cube on which Random Edge requires on expectation of at least  $\exp(d^{1/3})$  steps. (Hansen and Zwick 2016) improved the bound to  $\exp(\sqrt{d \log d})$ .

2.8. Games I: Stochastic games, their complexity, and linear programming.

2.8.1. The complexity of chess and backgammon. Is there a polynomial-time algorithm for chess? Well, if we consider the complexity of chess in terms of the board size then “generalized chess” is very hard. (It is P-space-complete.) But if we wish to consider the complexity in terms of the number of all possible positions (which for “generalized chess” is exponential in the board size), given an initial position, it is easy to walk on the tree of positions and determine, in a linear number of steps, the value of the game. (Real life chess is probably intractable, but we note that checkers was solved.)

Now, what about backgammon? This question represents one of the most fundamental open problems in algorithmic game theory. The difference between backgammon and chess is the element of luck: in each position your possible moves are determined by a roll of two dice.

Remark 2.12. Chess and backgammon are games with perfect information and their value is achieved by pure strategies. One of the fundamental insights of game theory is that for

zero-sum games with imperfect information, optimal strategies are mixed; namely, they are described by random choices between pure strategies. For mixed strategies, von Neumann's 1928 minmax theorem asserts that a zero-sum game with imperfect information has a value. An optimal strategy for rock-paper-scissors game is to play each strategy with an equal probability of  $1/3$ . An optimal strategy for two-player poker (heads-on poker) is probably much harder to find.

2.8.2. Stochastic games and Ludwig's theorem. A simple stochastic game is a two-player zero-sum game with perfect information, described as follows. We are given one shared token and a directed graph with two sink vertices labeled "1" and "2" which represent winning positions for the two players, respectively. All other vertices have outdegree 2 and are labeled either by the name of a player or as "neutral." In addition, one vertex is the start vertex. Once the token is on a vertex, the player with the vertex labelling moves, and if the vertex is neutral then the move is determined by a toss of a fair coin. Backgammon is roughly a game of this type. (The vertices represent the player whose turn it is to play and the outcome of the two dice, and there are neutral vertices representing the rolls of the dice. The outdegrees are larger than two but this does not make a difference.) This class of games was introduced by Condon in 1992. If there is only one player, the game turns into a one-player game with uncertainty, which is called a Markov decision process. For Markov decision processes, finding the optimal strategy is a linear programming problem.

Theorem 2.13 (Ludwig 1995). There is a subexponential algorithm for solving simple stochastic games

The basic idea of the proof is the following: once the strategy of player 2 is determined the game turns into a Markov decision process and the optimal strategy for player 1 is determined by solving an LP problem. Player one has an optimization problem over the discrete cube whose vertices represent his choices in each vertex labeled by "1." The crucial observation is that this optimization problem defines an abstract objective function and therefore we can apply Random Facet.

A more general model of stochastic games with imperfect information was introduced by Shapley in 1953. There at each step the two players choose actions independently from a set of possibilities and their choices determine a reward and a probability distribution for the next state of the game.

Problem 5 (Learned from Peter Bro Miltersen).

(i) Think about backgammon. Is there a polynomial-time algorithm for finding the value of simple stochastic games?

(ii) Can the problem of finding the sink in a unique sink acyclic orientation of the  $n$ -cube be reduced to finding the value of a simple stochastic game?

(iii) (Moving away from zero-sum games.) Is there a polynomial-time algorithm (or at least, subexponential) for finding a Nash equilibrium point for a stochastic two-player game (with perfect information)? What about stochastic games with perfect information with a fixed number of players?

(iv) Think about two-player poker. Is there a polynomial-time algorithm (or at least, a subexponential) for finding the value of a stochastic zero-sum game with imperfect information?

Remark 2.14. What is the complexity of finding objects guaranteed by mathematical theorems? Papadimitriou (1994) developed complexity classes and notions of intractability for mathematical methods and tricks! (Finding an efficiently describable object guaranteed by

a mathematical theorem cannot be NP-complete [Megiddo \(1988\)](#). A motivating conjecture that took many years to prove (in a series of remarkable papers) is that Nash equilibria is hard with respect to PPAD, one of the aforementioned Papadimitriou classes.

Problem 6 ([Szabó and Welzl 2001](#)). How does the problem of finding the sink in a unique sink acyclic orientation of the cube, and solving an abstract LP problem, fit into Papadimitriou's classes?

2.9. Lower bounds for geometric LP problems via stochastic games. In this section I discuss the remarkable works of [Friedmann, Hansen, and Zwick \(2011\), 2014](#). We talked (having the example of backgammon in mind) about two-player stochastic games with perfect information. (Uri Zwick prefers to think of those as “games with two-and-a-half players” with nature being a nonstrategic player rolling the dice.) The work of Friedmann, Hansen, and Zwick starts by building two-player parity games on which suitable randomized policy-iteration algorithms perform a subexponential number of iterations. Those games are then transformed into one-player Markov decision processes (or  $1\frac{1}{2}$ -player MDPs in Uri's view) that correspond to concrete linear programs. In their 2014 paper they showed a concrete LP problem, where the feasible polyhedron is combinatorially a product of simplices, on which Random Facet takes an expected number of  $\exp(\tilde{\Theta}(n^{1/3}))$  steps, and a variant called Random Bland requires an expected number of  $\exp(\tilde{\Theta}(\sqrt{n}))$  steps. The lower bound even applies to linear programming programs that correspond to shortest path problems, (i.e., one-player games, even in Uri's view) that are very easily solved using other methods (e.g., [Dijkstra 1959](#)). A similar, more involved argument yields an expected  $\exp(\tilde{\Theta}(n^{1/4}))$  steps for Random Edge!

Remark 2.15. Two recent developments: [Fearnley and Savani \(2015\)](#) used the connection between games and LP to show that it is PSPACE-complete to find the solution that is computed by the simplex method using Dantzig's pivot rule. [Calude, Jain, Khoushainov, Li, and Stephan \(2017\)](#) achieved a quasi-polynomial algorithm for parity games! So far, it does not seem that the algorithm extends to simple stochastic games or has implications for linear programming.

2.10. Discussion. Is our understanding of the success of the simplex algorithm satisfactory? Are there better practical algorithms for semidefinite and convex programming? Is there a polynomial upper bound for the diameter of graphs of  $d$ -polytopes with  $f$  facets? (or at least some substantial improvements of known upper bounds)? Is there a strongly polynomial algorithm for LP? Perhaps even a strongly polynomial variant of the simplex algorithm? What is the complexity of finding a sink of an acyclic unique-sink orientation of the discrete cube? Are there other new interesting efficient, or practically good, algorithms for linear programming? What is the complexity of stochastic games? Can a theoretical explanation be found for other practically successful algorithms? (Here, SAT solvers for certain classes of SAT problems, and deep learning algorithms come to mind.) Are there good practical algorithms for estimating the number of matchings in graphs? For computing volumes for high-dimensional polytopes? We also face the ongoing challenge of using linear programming and optimization as a source for deriving further questions and insights into the study of convex polytopes, arrangements of hyperplanes, geometry, and combinatorics.

### 3. Elections and noise

[To Nati Linial and Jeff Kahn who influenced me](#)

3.1. Games 2: Questions about voting games and social welfare.



3.1.1. Cooperative games. A cooperative game (with side payments) is described by a set of players  $N$ , and a payoff function  $v$  that associates to every subset  $S$  (called a coalition) of a real number  $v(S)$ . We will assume that  $v(\emptyset) = 0$ . Cooperative games were introduced by von Neumann and Morgenstern. A game is monotone if  $v(S) \geq v(T)$  when  $T \subset S$ . A voting game is a monotone cooperative game in which  $v(S) \in \{0, 1\}$ . If  $v(S) = 1$  we call  $S$  a winning coalition and if  $v(S) = 0$  then  $S$  is a losing coalition. Voting games represent voting rules for two-candidate elections, the candidates being Anna and Bianca. Anna wins if the set of voters that voted for her is a winning coalition. Important voting rules are the majority rule, where  $n$  is odd and the winning coalitions are those with more than  $n/2$  voters, and the dictatorship rule, where the winning coalitions are those containing a fixed voter called “the dictator.” Voting games are also referred to as monotone Boolean functions.

) 0 ) -ε-----ε----[

3.1.5. Sensitivity to noise. Let  $w_1, w_2, \dots, w_n$  be nonnegative real weights and  $\tau$  be a real number. A weighted majority is defined by  $f(x) = 1$  iff  $\sum_{i \in S} w_i \geq \tau$ .

Consider a two-candidate election based on a voting game where each voter votes for one of the two candidates at random, with probability  $1/2$ , and these probabilities are independent. Let  $S$  be the set of voters voting for Anna, who wins the election if  $f(x) = 1$ . Next consider a scenario where in the vote counting process there is, for every vote, a small probability  $\epsilon$  that the vote is miscounted, and assume that these mistakes are statistically independent. The set of voters believed to vote for Anna after the counting is  $\hat{S}$ . Define  $\epsilon(S, \hat{S})$  as the probability that  $f(x) \neq f(\hat{x})$ . A family of voting games is called uniformly noise stable if for every  $\epsilon$

3.1.9. Condorcet’s paradox and Arrow’s theorem. A generalized social welfare function is a map from voters’ order relations on alternatives, to a complete antisymmetric relation for the society, satisfying the following two properties.

- (1) If every voter prefers  $x$  to  $y$  then so does the society. (We do not need to assume that this dependence is monotone.)
- (2) Society’s preference between  $x$  and  $y$  depends only on the individual preferences between these candidates.

A social welfare function is a generalized welfare function such that for every  $n$ -tuple of order relations of the voters, the society preferences are acyclic (“rational”).

Theorem 3.7 (Arrow (1951)). For three or more alternatives, the only social welfare functions are dictatorial.

Theorem 3.8 (Kalai (2002), Keller (2012), and Mossel (2012)). For three or more alternatives the only nearly rational generalized social welfare functions are nearly dictatorial.

Theorem 3.9 (Mossel, O’Donnell, and Oleszkiewicz (2010)). The majority gives asymptotically “most rational” social preferences among generalized social welfare functions based on strong voting games with vanishing maximal Banzhaf power.

A choice function is a rule that, based on individual rankings of the candidates, gives the winner of the election. Manipulation (also called “non-naive voting” and “strategic voting”) is a situation where given the preferences of other voters, a voter may gain by not being truthful about his preferences.

Theorem 3.10 (Gibbard (1973) and Satterthwaite (1975)). Every nondictatorial choice function is manipulable.

Theorem 3.11 (Friedgut, Kalai, Keller, and Nisan (2011), Isaksson, Kindeler, and Mossel (2010), and Mossel and Racz (2015)). Every nearly nonmanipulable choice function is nearly dictatorial.

3.1.10. Indeterminacy and chaos. Condorcet’s paradox asserts that the majority rule may lead to cyclic outcomes for three candidates. A stronger result was proved by McGarvey (1953): every asymmetric preference relation on alternatives is the outcome of majority votes between pairs of alternatives for some individual rational preferences (namely, acyclic preferences) for a large number of voters. This property is referred to as indeterminacy. A stronger property is that when the individual order relations are chosen at random, the probability of every asymmetric relation is bounded away from zero. This is called stochastic indeterminacy. Finally, complete chaos refers to a situation where in the limit all the probabilities for asymmetric preference relations are the same:  $2^{-\binom{m}{2}}$ .

Theorem 3.12 (Kalai (2004) Kalai-2007).

(i) Generalized social welfare functions based on voting games that aggregate information lead to indeterminacy. In particular this applies when the maximum Shapley value tends to zero.

(ii) Generalized social welfare functions based on voting games where the maximum Banzhaf value tends to zero lead to stochastic indeterminacy.

(iii) Generalized social welfare functions based on noise-sensitive voting games lead to complete chaos.

3.1.11. Discussion. Original contexts for some of the results. Voting games are also called monotone Boolean functions and some of the results we discussed were proved in this context. Aggregation of information is also referred to as the sharp threshold phenomenon, which is important in the study of random graphs, percolation theory, and other areas. Theorem 3.5 was studied in the context of distributed computing and the question of collective coin flipping: procedures allowing agents to reach a random bit. Theorem 3.3 was studied in the context of critical planar percolation. Theorem 3.2 was studied in the context of the combinatorics and probability of Boolean functions. “The majority is stablest” theorem was studied both in the context of hardness of approximation for the Max Cut problem (see Section ??), and in the context of social choice. Arrow’s theorem and Theorem 3.10 had immense impact on theoretical economics and political science. There is a large body of literature with extensions and interpretations of Arrow’s theorem, and related phenomena were considered by many. Let me mention the books Peleg (1984) and M. Balinski and Laraki (2010) on voting methods that attempt to respond to the challenge posed by Arrow’s theorem. Most proofs of the results discussed here go through Fourier analysis of Boolean functions that we discuss in Section 3.2.1.

A little more on cooperative games. I did not tell you yet about the most important solution concept in cooperative game theory (irrelevant to voting games): the core. The core of the game is an assignment of  $(x_i)$  to the players so that the members of every coalition get together at least  $(c_S)$ . Bondareva and Shapley found necessary and sufficient conditions for the core to be nonempty (closely related to linear programming duality). I also did not talk about games without side payments. There,  $(v_i)$  are sets of vectors that describe the possible payoffs for the player in  $S$  if they go together. A famous game with no side payment is Nash’s bargaining problem for two players. Now, you are just one step away from one of the deepest and most beautiful results in game theory, Scarf’s conditions (1967) for nonemptiness of the core.

But what about real-life elections? The relevance and interpretation of mathematical modeling and results regarding voting rules, games, economics, and social science is a fairly involved matter. It is interesting to examine some notions discussed here in the light of election polls, which are often based on a more detailed model. Nate Silver’s detailed forecasts provide a special opportunity. Silver computes the probability of victory for every candidate based on running many noisy simulations, which are in turn based on the outcomes of individual polls. The data in Silver’s forecast contain an estimation for the event “recount,” which essentially measures noise sensitivity, and it would be interesting to compare noise sensitivity in this more realistic scenario to the simplistic model of i.i.d. voters’ behavior. Silver also computes certain power indices based on the probability of pivotality, again, under his model.

But what about real-life elections (2)? Robert Aumann remembers a Hebrew University math department meeting convened to choose two new members from among four very serious candidates. The chairman, a world-class mathematician, asked Aumann for a voting procedure. Aumann referred him to Bezalel Peleg, an expert on social choice and voting methods. The method Peleg suggested was adopted, and two candidates were chosen accordingly. The next day, the chairman met Aumann and complained that a majority of the department opposed the chosen pair, indeed preferred a specific different pair! Aumann replied: “Yes, but there is another pair of candidates that the majority prefers to yours, and yet another pair that the majority prefers to THAT one; and the pair elected is preferred by the majority to that last one! Moreover, there is a theorem that says that such situations cannot be avoided

under any voting rule.” The chairman was not happy and said dismissively: “Ohh, you guys and your theorems.”

3.2. Boolean functions and their Fourier analysis. We start with the discrete cube  $\Omega = \{-1, 1\}^n$ . A Boolean function is a map  $f : \Omega \rightarrow \{-1, 1\}$ .

Remark 3.13. A Boolean function represents a family of subsets of  $[n] = \{1, 2, \dots, n\}$  (also called a hypergraph), which are central objects in extremal combinatorics. Of course, voting games are monotone Boolean functions. We also note that in agreement with Murphy’s law, roughly half of the time it is convenient to consider additive notation, namely, to regard  $\{0, 1\}$  as the discrete cube and Boolean functions as functions to  $\{0, 1\}$ . (The translation is  $0 \rightarrow 1$  and  $1 \rightarrow -1$ .)

3.2.1. Fourier. Every real function  $f : \Omega \rightarrow \mathbb{R}$  can be expressed in terms of the Fourier–Walsh basis (we write here and for the rest of the paper  $[n] = \{1, 2, \dots, n\}$ ):

$$(3.1) \quad f = \sum_{S \subseteq [n]} \hat{f}(S) \chi_S,$$

where the Fourier–Walsh function  $\chi_S$  is simply the monomial  $\chi_S(x_1, x_2, \dots, x_n) = \prod_{i \in S} x_i$ .

Note that we have here  $2^n$  functions, one for each subset  $S$  of  $[n]$ . Let  $\mu$  be the uniform probability measure on  $\Omega$ . The functions  $\chi_S$  form an orthonormal basis of  $\mathbb{R}^{\Omega}$  with respect to the inner product

$$\langle f, g \rangle = \sum_{\omega \in \Omega} \mu(\omega) f(\omega) g(\omega).$$

The coefficients  $\hat{f}(S) = \langle f, \chi_S \rangle$ ,  $S \subseteq [n]$ , in (3.1) are real numbers, called the Fourier coefficients of  $f$ . Given a real function  $f$  on the discrete cube with Fourier expansion  $f = \sum_{S \subseteq [n]} \hat{f}(S) \chi_S$ , the noisy version of  $f$ , denoted by  $\rho(f)$ , is defined by  $\rho(f) = \sum_{S \subseteq [n]} \hat{f}(S) (\rho)^{|S|} \chi_S$ .

3.2.2. Boolean formulas, Boolean circuits, and projections. (Here it is convenient to think about the additive convention.) Formulas and circuits allow us to build complicated Boolean functions from simple ones and they are of crucial importance in computational complexity. Starting with  $n$  variables  $x_1, x_2, \dots, x_n$ , a literal is a variable  $x_i$  or its negation  $\neg x_i$ . Every Boolean function can be written as a formula in conjunctive normal form, namely as AND of ORs of literals. A circuit of depth  $d$  is defined inductively as follows. A circuit of depth zero is a literal. A circuit of depth one consists of an OR or AND gate applied to a set of literals, a circuit of depth  $d$  consists of an OR or AND gate applied to the outputs of circuits of depth  $d - 1$ . (We can assume that gates in the odd levels are all OR gates and that the gates of the even levels are all AND gates.) The size of a circuit is the number of gates. Formulas are circuits where we allow the output of a gate to be used as the input of only one other gate. Given a Boolean function  $f(x_1, x_2, \dots, x_n)$  we can look at its projection  $f(x_1, x_2, \dots, x_n, 1, 2, \dots, n)$  on the first  $n$  variables.  $f(x_1, x_2, \dots, x_n) = 1$  if there are values  $(x_1, x_2, \dots, x_n)$  (depending on the  $x_i$ s) such that  $f(x_1, x_2, \dots, x_n, 1, 2, \dots, n) = 1$ . Monotone formulas and circuits are those where all literals are variables (without negation).

Graph properties. A large important family of examples is obtained as follows. Consider a property  $\mathcal{P}$  of graphs on  $n$  vertices. Let  $\mathcal{E} = \binom{[n]}{2}$ , associate Boolean variables with the edges of the complete graph  $K_n$ , and represent every subgraph of  $K_n$  by a vector in  $\Omega$ . The property  $\mathcal{P}$  is now represented by a Boolean function on  $\Omega$ . We can also start with an arbitrary graph  $G$  with  $m$  edges and for every property  $\mathcal{P}$  of subgraphs of  $G$  obtain a Boolean function of  $m$  variables based on  $\mathcal{E}(G)$ .

3.3. Noise sensitivity everywhere (but mainly percolation). One thing we learned over the years is that noise sensitivity is (probably) a fairly common phenomenon. This is already indicated by Theorem 3.3. Proving noise sensitivity can be difficult. I will talk in this section about results on the critical planar percolation model, and conclude with a problem by Benjamini and Brioussell. I will not be able to review here many other noise-sensitivity results that justify the name of the section.

3.3.1. Critical planar percolation. The crossing event for planar percolation refers to an  $n \times n$  square grid and to the event, when every edge is chosen with probability  $1/2$ , that there is a path crossing from the left side to the right side of the square.

Theorem 3.14 (Benjamini, Kalai, and Schramm 1999). The crossing event for percolation is sensitive to  $1/(\log n)^c$  noise.

Theorem 3.15 (Schramm and Steif 2011). The crossing event for percolation is sensitive to  $(\log n)^{-c+o(1)}$  noise, for some  $c > 0$ .

Theorem 3.16 (Garban, Pete, and Schramm 2010, 2013; Amazing!). The crossing event for (hex) percolation is sensitive to  $(\log n)^{-(3/4)+o(1)}$  noise. The spectral distribution has a scaling limit and it is supported by Cantor-like sets of Hausdorff dimension  $3/4$ .

Remark 3.17 (Connection to algorithms). The proof of Schramm and Steif is closely related to the model of computation of random decision trees. Decision tree complexity refers to a situation where given a Boolean function we would like to find its value by asking as few questions as possible about specific instances. Random decision trees allow us to add randomization into the choice of the next question. These relations are explored in O'Donnell, Saks, Schramm, and Serednio (2005), and have been very useful in recent works in percolation theory.

Remark 3.18 (Connection to games). Critical planar percolation is closely related to the famous game of Hex. Peres, Schramm, Sheffield, and Wilson (2007) studied random-turn Hex where a coin flip determines the identity of the next player to play. They found a simple but surprising observation that the value of the game when both players play the random-turn game optimally is the same as when both players play randomly. Richman considered auction-based-turn games. Namely, the players bid on who will play the next round. A surprising, very general analysis (Lazarus, Loeb, Propp, Stromquist, and Ullman (1999)) shows that the value of the random-turn game is closely related to that of the auction-based-turn game! Nash famously showed that for ordinary Hex, the first player wins, but his proof gives no clue as to the winning strategy.

3.3.2. Spectral distribution and pivotal distribution. Let  $f$  be a monotone Boolean function with  $n$  variables. We can associate to  $f$  two important probability distributions on subsets of  $\{1, 2, \dots, n\}$ . The spectral distribution of  $f$ ,  $\mathcal{S}(f)$  gives a set  $S$  a probability  $\hat{f}^2(S)$ . Given  $i \in \Omega$  the  $i$ th variable is pivotal if when we flip the value of  $x_i$  the value of  $f$  is flipped as well. The pivotality distribution  $\mathcal{P}(f)$  gives to a set  $S$  the probability that  $S$  is the set of pivotal variables. It is known that the first two moments of  $\mathcal{S}$  and  $\mathcal{P}$  agree.

Problem 7. Find further connections between  $\mathcal{S}(f)$  and  $\mathcal{P}(f)$  for all Boolean functions and for specific classes of Boolean functions.

Conjecture 8. Let  $f$  represent the crossing event in planar percolation. Show that  $\mathcal{S}(f) = \mathcal{P}(f)$  and  $\mathcal{P}(f) = \mathcal{S}(f)$ . (Here  $\mathcal{H}$  is the entropy function.)

The first inequality is a special case of the entropy-influence conjecture of [Friedgut and Kalai \(1996\)](#) which applies to general Boolean functions. The second inequality is not so general. We note that if  $f$  is in  $\mathcal{P}$  the pivotal distribution can be efficiently sampled. The spectral distribution can be efficiently sampled on a quantum computer (Section ??).

3.3.3. First-passage percolation. Consider an infinite planar grid where every edge is assigned a length: 1 with probability  $1/2$  and 2 with probability  $1/2$  (independently). This model of a random metric on the planar grid is called first-passage percolation. An old question is to understand what is the variance  $\text{Var}(D_n)$  of the distance  $D_n$  from  $(0,0)$  to  $(n,0)$ . Now, let  $m_n$  be the median value of  $D_n$  and consider the Boolean function  $f_n$  describing the event “ $D_n \geq m_n$ .” Is  $f_n$  noise sensitive?

[Benjamini, Kalai, and Schramm \(2003\)](#) showed, more or less, that  $f_n$  is sensitive to a logarithmic level of noise, and concluded that  $\text{Var}(D_n) = O(n/\log n)$ . To show that  $f_n$  is sensitive to a noise level of  $n^{-\delta}$  for  $\delta > 0$  would imply that  $\text{Var}(D_n) = O(n^{1-c})$ . A very interesting question is whether methods used for critical planar percolation for obtaining stronger noise sensitivity results can also be applied here.

3.3.4. A beautiful problem by Benjamini and Brioussel. Consider an  $n$ -step simple random walk (SRW)  $(X_0, \dots, X_n)$  on a Cayley graph of a finitely generated infinite group  $\Gamma$ . Refresh independently each step with probability  $\epsilon$ , to get  $(Y_0, \dots, Y_n)$  from  $(X_0, \dots, X_n)$ . Are there groups for which at time  $n$  the positions  $X_n$  and  $Y_n$  are asymptotically independent? That is, does the  $\chi^2_1$  (total variation) distance between the chain  $(X_n, Y_n)$  and two independent copies  $(X'_n, Y'_n)$  go to 0, as  $n \rightarrow \infty$ ?

Note that on the line  $\mathbb{Z}$ , they are uniformly correlated, and therefore also on any group with a nontrivial homomorphism to  $\mathbb{R}$ , or on any group that has a finite index subgroup with a nontrivial homomorphism to  $\mathbb{R}$ . On the free group and for any non-Liouville group,  $X_n$  and  $Y_n$  are correlated as well, but for a different reason: both  $X_n$  and  $Y_n$  have a nontrivial correlation with  $X_1$ . Itai Benjamini and Jeremie Brioussel conjecture that these are the only ways not to be noise sensitive. That is, if a Cayley graph is Liouville and the group does not have a finite index subgroup with a homomorphism to the reals, then the Cayley graph is noise sensitive for the simple random walk. In particular, the Grigorchuk group is noise sensitive for the simple random walk!

### 3.4. Boolean complexity, Fourier, and noise.

3.4.1.  $\mathcal{P} \neq \mathcal{NP}$  – circuit version. The  $\mathcal{P} \neq \mathcal{NP}$ -conjecture (in a slightly stronger form) asserts that the Boolean function described by the graph property of containing a Hamiltonian cycle cannot be described by a polynomial-size circuit. Equivalently, the circuit form of the  $\mathcal{NP} \neq \mathcal{P}$ -conjecture asserts that there are Boolean functions that can be described by polynomial-size nondeterministic circuits, namely as the projection to  $k$  variables of a polynomial-size circuit, but cannot be described by polynomial-size circuits. A Boolean function  $f$  is in co-NP if  $\neg f$  is in NP.

Remark 3.19. Projection to  $k$  variables of a Boolean function in co-NP is believed to enlarge the family of functions even further. The resulting class is denoted by  $\Pi^2_{\mathcal{P}}$  and the class of functions  $\neg f$  when  $f \in \Pi^2_{\mathcal{P}}$  is denoted by  $\Sigma^2_{\mathcal{P}}$ . By repeating the process of negating and projecting we reach a whole hierarchy of complexity classes, PH, called the polynomial hierarchy.

3.4.2. Well below P. The class NC describes Boolean functions that can be expressed by polynomial-size polylogarithmical-depth Boolean circuits. This class (among others) is used to model the notion of parallel computing. Considerably below NC, the class  $AC^0$  describes Boolean functions that can be expressed by bounded-depth polynomial-size circuits, where we allow AND and OR gates to apply to more than two inputs. A celebrated result in computational complexity asserts that majority and parity do not belong to  $AC^0$ . However, the noise stability of majority implies that majority can be well approximated by functions in  $AC^0$ .  $mAC^0$  is the class of functions described by bounded-depth polynomial-size monotone circuits. We note that functions in  $AC^0$  are already very complex mathematical objects.

A monotone threshold circuit is a circuit built from gates that are are weighted majority functions (without negations). A general threshold circuit is a circuit built from gates that are threshold linear functions, i.e. we allow negative weights.  $TC^0$  ( $mTC^0$ ) is the class of functions described by bounded-depth polynomial-size (monotone) threshold circuits.

3.4.3. Some conjectures on noise sensitivity and bounded-depth monotone threshold circuits.

Conjecture 9 (Benjamini, Kalai, and Schramm 1999).

- (i) Let  $f$  be a Boolean function described by a monotone threshold circuit of size  $s$  and depth  $d$ . Then  $f$  is stable to  $(1/s)$ -noise where  $\text{stability} = (\log s)^{100d}$ .
- (ii) Let  $f$  be a monotone Boolean function described by a threshold circuit of size  $s$  and depth  $d$ . Then  $f$  is stable to  $(1/s)$ -noise where  $\text{stability} = (\log s)^{100d}$ .

The constant 100 in the exponent is, of course, negotiable. In fact, replacing 100 with any function of  $s$  will be sufficient for most applications. The best we can hope for is that the conjectures are true if  $\text{stability}$  behaves like  $= (\log s)^{D-1}$ . Part (i) is plausible but looks very difficult. Part (ii) is quite reckless and may well be false. (See, however, Problem ?? below.) Note that the two parts differ “only” in the location of the word “monotone.”

There are many Boolean functions that are very noise sensitive. A simple example is the recursive majority on threes, denoted by RM3 and defined as follows. Suppose that  $n = 3^k$ . Divide the variables into three equal parts. Compute the RM3 separately for each of these parts and apply majority to the three outcomes. Conjecture ?? would have the following corollaries (C1)–(C4). Part (i) implies: (C1) – RM3 is not in  $mTC^0$ , and even C2 – RM3 cannot be approximated by a function in  $mTC^0$ . Yao (1989) and Håstad and Goldmann (1991) proved a variant of (C1) and these results motivated our conjecture. (C2) already seems well beyond reach. Part (ii) implies: (C3) – RM3 is not in  $TC^0$  and (C4) – RM3 cannot be approximated by a function in  $TC^0$ . (We can replace RM3 with other noise-sensitive properties like the crossing event in planar percolation.)

3.4.4. Bounded depth Boolean circuits and the reverse Håstad conjecture. For a monotone Boolean function  $f$  on  $\Omega$ , a Fourier description of the total influence is  $\text{Inf}(f) = \sum_i \hat{f}^2(i) |i|$ , and we can take this expression as the definition of  $\text{Inf}(f)$  for nonmonotone functions as well. The following theorem describes some connections between functions in  $AC^0$ , influence and Fourier. The second and third items are based on Håstad’s switching lemma.

Theorem 3.20.

- (i) R. Boppana (n.d.): If  $f$  is a (monotone) Boolean function that can be described by a depth- $d$  size- $s$  monotone Boolean circuit then  $\text{Inf}(f) \leq (\log s)^{D-1}$ .
- (ii) (Hastad 1986 and R. B. Boppana 1997b) If  $f$  is a function that can be described by a depth- $d$  size- $s$  Boolean circuit then  $\text{Inf}(f) \leq (\log s)^{D-1}$ .



(iii) [Linial, Mansour, and Nisan \(1993\)](#); improved by [Håstad \(2001\)](#): If  $f$  is a function that can be described by a depth- $d$  size- $s$  monotone Boolean circuit then  $\{\sum_{i=1}^d \hat{\chi}_i(f) : |S| = s\}$  decays exponentially with  $s$  when  $d > (\log s)^{D-1}$ .

We conjecture that functions with low influence can be approximated by low-depth small-size circuits. A function  $f$   $\epsilon$ -approximates a function  $g$  if  $\mathbb{E}(f - g)^2 \leq \epsilon$ .

Conjecture 10 ([Benjamini, Kalai, and Schramm 1999](#)). For some absolute constant  $c$ , the following holds. A Boolean function  $f$  can be 0.01-approximated by a circuit of depth  $d$  of size  $s$  where  $(\log s)^{cd} \leq s$ .

3.4.5. Positive vs. monotone. We stated plausible but hard conjectures on functions in  $mTC^0$  and reckless and perhaps wrong conjectures on monotone functions in  $TC^0$ . But we cannot present a single example of a monotone function in  $TC^0$  that is not in  $mTC^0$ . To separate the conjectures we need monotone functions in  $TC^0$  that cannot even be approximated in  $mTC^0$ . [Ajtai and Gurevich \(1987\)](#) proved that there are monotone functions in  $AC^0$  that are not in  $mAC^0$ .

Problem 11.

(i) Are there monotone functions in  $AC^0$  that cannot be approximated by functions in  $mAC^0$ ?

(ii) Are there monotone functions in  $TC^0$  that are not in  $mTC^0$ ?

(iii) Are there monotone functions in  $TC^0$  that cannot be approximated by functions in  $mTC^0$ ?

3.5. A taste of PCP, hardness of approximation, and Max Cut. A vertex cover of a graph is a set of vertices such that every edge contains a vertex in the set. Vertex Cover is the algorithmic problem of finding such a set of vertices of minimum size. Famously, this problem is an NP-complete problem; in fact, it is one of the problems in Karp's original list. A matching in a graph is a set of edges such that every vertex is included in at most one edge. Given a graph there is an easy efficient algorithm for finding a maximal matching. Finding a maximal matching with  $m$  edges with respect to inclusion, gives us at the same time a vertex cover of size  $2m$  and a guarantee that the minimum size of a vertex cover is at least  $m$ . A very natural question is to find an efficient algorithm for a better approximation. There is by now good evidence that this might not be possible. It is known to derive [Khot and Regev \(2003\)](#) from Khot's unique game conjecture [Khot \(2002\)](#).

A cut in a graph is a partition of the vertices into two sets. The Max Cut problem is the problem of finding a cut with the maximum number of edges between the parts. Also this problem is NP-complete, and in Karp's list. The famous Goemans–Williamson algorithm based on semidefinite programming achieves  $\alpha$ -approximation for max cut where  $\alpha_{GM} = .878567$ . Is there an efficient algorithm for a better approximation? There is by now good evidence that this might not be possible.

3.5.1. Unique games, the unique game conjecture, and the PCP theorem. We have a connected graph and we want to color it with colors from a set  $\Sigma$ . For every edge  $e$  we are given an orientation of the edge and a permutation  $\pi_e$  on  $\Sigma$ . In a good coloring of the edge, if the tail is colored  $x$  then the head must be colored  $\pi_e(x)$ . It is easy to check efficiently if a global good coloring exists since coloring one vertex forces the coloring of all the others.

Given  $\epsilon, \delta$ , the unique game problem is for a graph  $G$ , a set of colors  $\Sigma$ , and a permutation constraint for each edge, to decide algorithmically between two scenarios (when we are promised that one of them holds):

- (i) There is no coloring for which more than a fraction  $\epsilon$  of the edges are colored good.
- (ii) There is a coloring for which at least a fraction  $1 - \delta$  of the edges are colored good.

The unique game conjecture asserts that for every  $\epsilon > 0$  and  $\delta > 0$  it is NP-hard to decide between these two scenarios.

If one does not insist on the constraints being permutations and instead allows them to be of general form, then the above holds, and it is called the PCP Theorem – one of the most celebrated theorems in the theory of computation.

Remark 3.21. A useful way to describe the situation (which also reflects the historical path leading to it) is in terms of a three-player game in which there are two “provers” and a verifier. A verifier is trying to decide which of the two cases he is in, and can communicate with two all powerful (noncommunicating) provers. To do so, the verifier samples an edge, and sends one endpoint to each prover. Upon receiving their answers, the verifier checks that the two colors satisfy the constraint. The provers need to convince the verifier that a coloring exists by giving consistent answers to simultaneous questions drawn at random.

### 3.5.2. The theorem of Khot, Kindler, Mossel, and O’Donnell.

Theorem 3.22 (Khot, Kindler, Mossel, and O’Donnell 2007). Let  $\beta > \alpha_{GM}$  be a constant. Then an efficient  $\beta$ -approximation algorithm for Max Cut implies an efficient algorithm for unique games.

The reduction relies on the “majority is stablest” theorem (Theorem 3.4), which was posed by Khot, Kindler, Mossel, and O’Donnell as a conjecture and later proved by Mossel, O’Donnell, and Oleszkiewicz. This result belongs to the theory of hardness of approximation and probabilistically checkable proofs (PCPs), which is among the most important areas developed in computational complexity in the past three decades. For quite a few problems in Karp’s original list of NP-complete problems (and many other problems added to the list), there is good evidence that the best efficient approximation is achieved by a known relatively simple algorithm. For a large class of problems it is even known (Raghavendra 2008) (based on hardness of the unique game problem) that the best algorithm is either a very simple combinatorial algorithm (like that for Vertex Cover), or a more sophisticated application of semidefinite programming (like that for Max Cut). I will give a quick and very fragmented taste of three ingredients of the proof of Theorem ??.

The noisy graph of the cube. The proof of the hardness of max cut relative to unique games is based on the weighted graph whose vertices are the vertices of the discrete cube, all pairs are edges, and the weight of an edge between two vertices of distance  $d$  is  $(1 - \frac{d}{n})^2$ . It turns out that in order to analyze the reduction, it suffices to study the structure of good cuts in this very special graph.

The least efficient error-correcting codes. Error-correcting codes have, for many decades, been among the most celebrated applications of mathematics, with a huge impact on technology. They also play a prominent role in theoretical computer science and in PCP theory. The particular code needed for max cut is the following: encode a number  $x$  between 1 to  $n$  (and thus  $\log n$  bits) by a Boolean function: a dictatorship where the  $x$ th variable is the dictator!

Testing dictatorship. An important ingredient of a PCP proof is “property testing,” i.e., testing by looking at a bounded number of values if a Boolean function satisfies a certain property, or is very far from satisfying it. In our case we would like to test (with a high probability of success) if a Boolean function is very far from dictatorship, or has substantial correlation with it. The test is the following: choose  $i$  at random, let  $f_i = \epsilon(-)$ . Test

if  $\langle \mathbf{x}, \mathbf{y} \rangle = -\langle \mathbf{x}, \mathbf{z} \rangle$ . For the majority function the probability that majority passes the test is roughly  $\arccos(\epsilon - 1)$ ; the “majority is stablest” theorem implies that anything that is more stable has a large correlation with a dictator.

3.5.3. Discussion: integrality gap and polytope integrality gap. Given a graph  $G$  and nonnegative weights on its vertices, the weighted version of Vertex Cover is the algorithmic problem of finding a set of vertices of minimum weight that covers all edges.

Minimize  $w_1 x_1 + w_2 x_2 + \dots + w_n x_n$  where  $\mathbf{x} = (x_1, x_2, \dots, x_n)$  is a 0-1 vector,  
 subject to:  $x_i + x_j \geq 1$  for every edge  $\{i, j\}$ .

Of course, this more general problem is also NP-complete. The linear programming relaxation allows  $x_i$ s to be real and belong to the interval  $[0,1]$ . The integrality gap for general vertex cover problems is 2 and given the solution to the linear programming problem you can just consider the set of vertices  $v$  so that  $x_v \geq 1/2$ . This will be a cover and the ratio between this cover and the optimal one is at most 2. The integrality gap for the standard relaxation of max cut is  $\log 2$ . The integrality gap is an important part of the picture in PCP theory. I conclude with a beautiful problem that I learned from Anna Karlin.

Consider the integrality gap (called the polytope integrality gap) between the covering problem and the linear programming relaxation when the graph  $G$  is fixed. In greater generality, consider a general covering problem of maximizing  $\mathbf{c} \cdot \mathbf{x}$  subject to  $A\mathbf{x} \leq \mathbf{b}$  where  $A$  is an integral matrix of nonnegative integers. Next, consider the integrality gap between 0-1 solutions and real solutions in  $[0, 1]$  when  $A$  and  $\mathbf{b}$  are fixed (thus the feasible polyhedron is fixed, and hence the name “polytope integrality gap”) and only  $\mathbf{c}$  (the objective function) varies. The problem is if, for Vertex Cover for every graph  $G$  and every vector of weights, there is an efficient algorithm achieving the polytope integrality gap. The same question can be asked about a polytope integrality gap of arbitrary covering problems.

#### 4. The quantum computer challenge

[To Robert Aumann, Maya Bar-Hillel, Dror Bar-Nathan, Brendan McKay, and Ilya Rips who trained me as an applied mathematician.](#)

4.1. Quantum computers and noise. Recall that the basic memory component in classical computing is a “bit,” which can be in two states, “0” or “1.” A computer, as modeled by a Boolean circuit, has  $n$  bits and it can perform certain logical operations on them. The NOT gate, acting on a single bit, and the AND gate, acting on two bits, suffice for universal classical computing. This means that a computation based on another collection of logical gates, each acting on a bounded number of bits, can be replaced by a computation based only on NOT and AND. Classical circuits equipped with random bits lead to randomized algorithms, which, as mentioned before, are both practically useful and theoretically important. Quantum computers allow the creation of probability distributions that are well beyond the reach of classical computers with access to random bits.

4.1.1. Quantum circuits. A qubit is a piece of quantum memory. The state of a qubit can be described by a unit vector in a two-dimensional complex Hilbert space  $\mathbb{C}^2$ . For example, a basis for  $\mathbb{C}^2$  can correspond to two energy levels of the hydrogen atom, or to horizontal and vertical polarizations of a photon. Quantum mechanics allows the qubit to be in a superposition of the basis vectors, described by an arbitrary unit vector in  $\mathbb{C}^2$ . The memory of a quantum computer (“quantum circuit”) consists of  $n$  qubits. Let  $\mathbb{C}^2$  be the two-dimensional Hilbert space associated with the  $i$ th qubit. The state of the entire memory of  $n$  qubits is described by a unit vector in the tensor product  $\mathbb{C}^2 \otimes \mathbb{C}^2 \otimes \dots \otimes \mathbb{C}^2$ . We can put one or

two qubits through gates representing unitary transformations acting on the corresponding two- or four-dimensional Hilbert spaces, and as for classical computers, there is a small list of gates sufficient for universal quantum computing. At the end of the computation process, the state of the entire computer can be measured, giving a probability distribution on  $0$ – $1$  vectors of length  $n$ .

A few words on the connection between the mathematical model of quantum circuits and quantum physics: in quantum physics, states and their evolutions (the way they change in time) are governed by the Schrödinger equation. A solution of the Schrödinger equation can be described as a unitary process on a Hilbert space and quantum computing processes of the kind we just described form a large class of such quantum evolutions.

**Remark 4.1.** Several universal classes of quantum gates are described in Nielsen and Chuang (2000, Ch. 4.5). The gates for the IBM quantum computer are eight very basic one-qubit gates, and the 2-qubit CNOT gate according to a certain fixed directed graph. This is a universal system and in fact, an over complete one.

**4.1.2. Noise and fault-tolerant computation.** The main concern regarding the feasibility of quantum computers has always been that quantum systems are inherently noisy: we cannot accurately control them, and we cannot accurately describe them. The concern regarding noise in quantum systems as a major obstacle to quantum computers was put forward in the mid-90s by Landauer (1995), Unruh (1995), and others.

What is noise? As we said already, solutions of the Schrödinger equation (“quantum evolutions”) can be regarded as unitary processes on Hilbert spaces. Mathematically speaking, the study of noisy quantum systems is the study of pairs of Hilbert spaces  $(\mathcal{H}, \mathcal{H}')$ ,  $\mathcal{H} \subset \mathcal{H}'$ , and a unitary process on the larger Hilbert space  $\mathcal{H}'$ . Noise refers to the general effect of neglecting degrees of freedom, namely, approximating the process on a large Hilbert space by a process on the small Hilbert space. For controlled quantum systems and, in particular, quantum computers,  $\mathcal{H}$  represents the controlled part of the system, and the large unitary process on  $\mathcal{H}'$  represents, in addition to an “intended” controlled evolution on  $\mathcal{H}$ , also the uncontrolled effects of the environment. The study of noise is relevant, not only to controlled quantum systems, but also to many other aspects of quantum physics.

A second, mathematically equivalent way to view noisy states and noisy evolutions, is to stay with the original Hilbert space  $\mathcal{H}$ , but to consider a mathematically larger class of states and operations. In this view, the state of a noisy qubit is described as a classical probability distribution on unit vectors of the associated Hilbert spaces. Such states are referred to as mixed states.

It is convenient to think about the following simple form of noise, called depolarizing noise: in every computer cycle a qubit is not affected with probability  $1 - \epsilon$ , and, with probability  $\epsilon$ , it turns into the maximal entropy mixed state, i.e., the average of all unit vectors in the associated Hilbert space.

**Remark 4.2.** It is useful to distinguish between the model error rate, which is  $\epsilon$  in the above example, and the effective error rate, which is the probability that a qubit is corrupted at a computation step, conditioned on it having survived up to this step. The effective error rate depends not only on the model error rate but also on the computation sequence. When the computation is nontrivial (for example, for pseudo-random circuits) the effective error rate




Figure 6. Two scenarios: Left – Quantum fault-tolerance mechanisms, via quantum error-correction, allow robust quantum information and computationally superior quantum computation. Right – Noisy quantum evolutions, described by low-degree polynomials, allow, via the mechanisms of averaging/repetition, robust classical information and computation, but do not allow reaching the starting points for quantum supremacy and quantum fault-tolerance. Drawing by Neta Kalai.

grows linearly with the number of qubits.<sup>4</sup> This is a familiar fact that is taken into account by the threshold theorem described below.

To overcome noise, a theory of quantum fault-tolerant computation based on quantum error-correcting codes was developed. Fault-tolerant computation refers to computation in the presence of errors. The basic idea is to represent (or “encode”) a single (logical) qubit by a large number of physical qubits, so as to ensure that the computation is robust even if some of these physical qubits are faulty.

Theorem 4.3 (Threshold theorem – informal statement (Aharonov and Ben-Or 1999; Kitaev 1997; Knill, Laflamme, and Zurek 1998)). When the level of noise is below a certain positive threshold  $\rho$ , noisy quantum computers allow universal quantum computation.

Theorem ?? shows that once high-quality quantum circuits are built for roughly 100–500 qubits then it will be possible in principle to use quantum error-correction codes to amplify this achievement for building quantum computers with an unlimited number of qubits. The interpretation of this result took for granted that quantum computers with a few dozen qubits are feasible, and this is incorrect.

Let  $n$  be the maximal number of qubits for which a reliable quantum circuit can be engineered. Let  $m$  be the number of qubits required for good quantum error-correcting codes needed for quantum fault-tolerance.  $m$  is in the range of 100–1000 qubits.

The optimistic scenario:  $n > m$ .

The pessimistic scenario:  $n < m$ .

As we will see, there are good theoretical reasons for the pessimistic scenario (even for  $n \gg m$ ) as well as interesting consequences from it. We emphasize that both scenarios are compatible with quantum mechanics.

#### 4.2. Complexity 6: quantum computational supremacy.

<sup>4</sup>We refer to error rate in terms of qubit errors, which are relevant to quantum error-correction. There is no difference between model error rate and effective error rate for rate based on trace distance.

4.2.1. Factoring is in BQP. Recall that computational complexity is the theory of efficient computations, where “efficient” is an asymptotic notion referring to situations where the number of computation steps (“time”) is at most a polynomial in the number of input bits. We already discussed the complexity classes P and NP, and let us (abuse notation and) allow classical randomization to be added to all the complexity classes we discuss. There are important intermediate problems between P and NP. Factoring – the task of factoring an  $n$ -digit integer to its prime decomposition is not known to be in P, as the best algorithms are exponential in the cube root of the number of digits. Factoring is in NP, hence it is unlikely that factoring is NP-complete. Practically, Factoring is hard and this is the basis for most of the current cryptosystems.

The class of decision problems that quantum computers can efficiently solve is denoted by BQP. Shor’s algorithm shows that quantum computers can factor  $n$ -digit integers efficiently – in  $\sim n^3$  steps! Quantum computers are not known to be able to solve NP-complete problems efficiently, and there are good reasons to think that they cannot do so. However, quantum computers can efficiently perform certain computational tasks beyond NP and even beyond PH.

The paper by [Shor \(1999\)](#) presenting an efficient factoring algorithm for quantum computers is among the scientific highlights of the 20th century, with an immense impact on several theoretical and experimental areas of physics.

4.2.2. Fourier sampling, boson sampling, and other quantum sampling. As mentioned in Section 2, exact and approximate sampling are important algorithmic tasks on their own and as subroutines for other tasks. Quantum computers enable remarkable new forms of sampling. Quantum computers would allow the creation of probability distributions that are beyond the reach of classical computers with access to random bits. Let Quantum Sampling denote the class of distributions that quantum computers can efficiently sample. An important class of such distributions is Fourier Sampling. Start with a Boolean function  $f: \Omega \rightarrow \{0, 1\}$ . (We can think of  $f(x)$  as the winner in HEX.) If  $f$  is in P then we can classically sample  $f(x)$  for a random  $x \in \Omega$ . With quantum computers we can do more. A crucial ability of quantum computers is to prepare a state  $\frac{1}{\sqrt{2^n}} \sum_{x \in \Omega} |x\rangle$ , which is a superposition of all  $2^n$  vectors weighted by the value of  $f(x)$ . Next a quantum computer can easily take the Fourier transform of  $f$  and thus sample exactly a subset  $S$  according to  $\hat{f}(S)$ . This ability of quantum computers goes back essentially to [Simon \(1997\)](#), and is crucial for Shor’s factoring algorithm.

Another important example is Boson Sampling, which refers to a class of probability distributions (that quantum computers can efficiently create) representing a collection of non-interacting bosons. Boson Sampling was introduced by [Aaronson and Arkhipov \(2011\)](#).

Theorem 4.4 (*ibid.*, Aaronson and Arkhipov 2013, Bremner, Jozsa, and Shepherd 2011). If a classical computer can exactly sample according to either

- (i) General Quantum Sampling,
- (ii) Boson Sampling,
- (iii) Fourier Sampling, or
- (iv) Probability distributions obtained by bounded-depth polynomial-size quantum circuits,

then the polynomial hierarchy collapses.

The proof is by showing that if a classical computer that allows any of the sampling tasks listed above, is equipped with an NP oracle, then it is able to efficiently perform  $\#P$ -complete computations. This implies that the class  $\#P$  that includes PH already collapses to the third level in the polynomial hierarchy.

#### 4.3. Computation and physics 1.

4.3.1x Variants of the Church–Turing thesis. The famous Church–Turing thesis (CTT) asserts that everything computable is computable by a Turing machine. Although initially this was a thesis about computability, there were early attempts to relate it to physics, namely, to assert that physical devices obey the CTT. The efficient (or strong) Church–Turing thesis (ECTT) in the context of feasible computations by physical devices was considered early on by Wolfram (1985), Pitowsky (1990) and others. It asserts that only efficient computations by a Turing machine are feasible physical computation. Quantum computers violate the ECTT. The pessimistic scenario brings us back to the ECTT, and, in addition, it proposes an even stronger limitation function,  $\text{cisys}$  -

express interactions between a small number of physical elements. This principle is modeled by quantum computers, and indeed a crucial issue in the debate on quantum computers is what is the correct modeling of local quantum systems. Let me mention three possibilities.

- (A) The model of quantum circuits is the correct model for local quantum evolutions. Quantum computers are possible, the difficulties are matters of engineering, and quantum computational supremacy is amply manifested in quantum physics.
- (B) The model of noisy quantum circuits is the correct model for local quantum evolutions. In view of the threshold theorem, quantum computers are possible and the remaining difficulties are matters of engineering.
- (C) The model of noisy quantum circuits is the correct model for local quantum evolutions, and further analysis suggests that the threshold in the threshold theorem cannot be reached. Quantum circuits with noise above the threshold is the correct modeling of local quantum systems. Quantum computational supremacy is an artifact of incorrect modeling of locality.

Computational complexity insights (and some common sense) can assist us in deciding between these possibilities. While each of them has its own difficulties, in my view the third one is correct.

#### 4.3.3. Feynman’s motivation for quantum computing.

Conjecture 12 (Feynman’s 1982 motivation for quantum computation). High energy physics computations, especially computations in QED (quantum electrodynamics) and QCD (quantum chromodynamics), can be carried out efficiently by quantum computers.

This question touches on the important mathematical question of giving rigorous mathematical foundations for QED and QCD computations. Efficient quantum computation for them will be an important (while indirect) step toward putting these theories on rigorous mathematical grounds. [Jordan, Lee, and Preskill \(2014\)](#) found an efficient algorithm for certain computations in  $(\phi^4)$  quantum field theory for cases where a rigorous mathematical framework is available.

#### 4.4. The low-scale analysis: Why quantum computers cannot work.

##### 4.4.1. Noisy systems of noninteracting photons.

Theorem 4.5 ([Kalai and Kindler 2014](#)). When the noise level is constant, Boson Sampling distributions are well approximated by their low-degree Fourier–Hermite expansion. Consequently, noisy Boson Sampling can be approximated by bounded-depth polynomial-size circuits.

It is reasonable to assume that for all proposed implementations of Boson Sampling the noise level is at least a constant and, therefore, an experimental realization of Boson Sampling represents, asymptotically, bounded-depth computation. In fact noisy Boson Sampling belongs to a computational class LDP (approximately sampling distributions described by bounded-degree polynomials) which is well below  $AC^0$ . The next theorem shows that implementation of Boson Sampling will actually require pushing down the noise level to below  $1/$ .

Theorem 4.6 ([ibid.](#)). When the noise level is  $\omega(1/)$ , and  $\gg 2$ , Boson Sampling is very sensitive to noise with a vanishing correlation between the noisy distribution and the ideal distribution.<sup>5</sup>

<sup>5</sup>The condition  $m \gg n^2$






Figure 7. Quantum computers offer mind-boggling computational superiority (left), but in the small scale, noisy quantum circuits are computationally very weak, unlikely to allow quantum codes needed for quantum computers (right).

4.4.2. Noisy quantum circuits.

Conjecture 13.

- (i) The insights for noisy Boson Sampling apply to all versions of realistic forms of noise.
- (ii) These insights extend further to quantum circuits and other quantum devices in the small scale.
- (iii) These insights extend even further to quantum devices, including microscopic processes, that do not use quantum error-correction.
- (iv) This rules out quantum computational supremacy and the needed quantum error-correcting codes.

The first item seems a quite reasonable extension of Theorem ???. In fact, the argument applies with small changes to a physical modeling of mode-mismatch noise (when bosons are not fully indistinguishable). Each item represents quite a leap from the previous one. The last item expresses the idea that superior computation cannot be manifested by primitive asymptotic computational power. Theorem ??? put noisy Boson Sampling in a very low-level class, LDP, even well below  $AC^0$ . It is not logically impossible but still quite implausible that such a primitive computing device will manifest superior computing power for 50 bosons.

Remark 4.7. Why robust classical information and computation is possible and ubiquitous. The ability to approximate low-degree polynomials still supports robust classical information. This is related to our second puzzle. The majority function allows for very robust bits based on a large number of noisy bits and admits excellent low-degree approximations. Both encoding (by some repetition procedure) and decoding (by majority or a variation of majority) that are needed for robust classical information are supported by low-degree polynomials.

4.5. Predictions regarding intermediate goals and near-term experiments.

- **Demonstrating quantum supremacy.** A demonstration of quantum computing supremacy, namely, crossing the line where classical simulation is possible, requires, e.g., building of pseudo-random quantum circuits of 50–70 qubits. As we mentioned in the Introduction, this idea can be partially tested already for quantum circuits with 10–30 qubits, and there are plans for a decisive demonstration on 50 qubits in the near future. Quantum supremacy could be demonstrated via implementation of Boson

Sampling and in various other ways. Theorems ?? and ?? and the NPBS principle suggest that all these attempts will fail.

- Robust quantum qubits via quantum error-correction. The central goal toward quantum computers is to build logical qubits based on quantum error-correction, and a major effort is being made to demonstrate a distance-5 surface code that requires 100 or so qubits. It is now commonly agreed that this task is harder than “simply” demonstrating quantum computational supremacy. Therefore, the NPBS principle suggests that these attempts will fail as well.
- Good-quality individual qubits and gates (and anyonic qubits). The quality of individual qubits and gates is the major factor in the quality of quantum circuits built from them. The quantum computing analogue of Moore’s law, known as “Schoelkopf’s law,” asserts that roughly every three years, quantum decoherence can be delayed by a factor of ten. The analysis leading to the first two items suggests that Schoelkopf’s law will be broken before reaching the quality needed for quantum supremacy and quantum fault-tolerance. This is an indirect argument, but more directly, the microscopic process leading to the qubits (for all we know) also represents low level complexity power. This last argument also casts doubt on any hopes of reaching robust quantum qubits via anyons.

4.6. Computation and physics 2: noisy quantum systems above the noise threshold. Noisy quantum systems under the pessimistic scenario, namely, under the assumption that the noise level is above the fault-tolerance threshold are quite interesting! There are two basic premises for modeling noisy quantum evolutions under the pessimistic scenario. The first is that the modeling is implicit; namely, it is given in terms of conditions that the noisy process must satisfy, rather than a direct description for the noise. The second premise is that there are systematic relations between the (effective) noise and the entire quantum evolution and also between the target state and the noise.

4.6.1. Correlated errors and error synchronization. The following prediction regarding noisy entangled pairs of qubits is perhaps the simplest prediction on noisy quantum circuits under the pessimistic scenario. Entanglement is a name for quantum correlation, and it is an important feature of quantum physics and a crucial ingredient of quantum computation. A cat state of the form  $\frac{1}{\sqrt{2}}|00\rangle + \frac{1}{\sqrt{2}}|11\rangle$  represents the simplest (and strongest) form of entanglement between two qubits.

Prediction 1: Two-qubit behavior. For any implementation of quantum circuits, cat states are subject to qubit errors with substantial positive correlation.

Error synchronization refers to a substantial probability that a large number of qubits, well beyond the average rate of noise, are corrupted. This is a very rare phenomenon for the model noise and, when quantum fault-tolerance is in place, error synchronization is an extremely rare event also for the effective noise.

Prediction 2: Error synchronization. For pseudo-random circuits, highly synchronized errors will necessarily occur.

Remark 4.8. Both predictions 1 and 2 can already be tested via the quantum computers of Google, IBM, and others. (It will be interesting to test prediction 1 even on gated qubits, where it is not in conflict with the threshold theorem, but may still be relevant to the required threshold constant.)

4.6.2. Modeling general noisy quantum systems.

Prediction 3: Bounded-degree approximations, and effective learnability. Unitary evolutions that can be approximated by noisy quantum circuits (and other devices) are approximated by low-degree polynomials and are efficiently learnable.

Prediction 4: Rate. For a noisy quantum system a lower bound for the rate of noise in a time interval is a measure of noncommutativity for the projections in the algebra of unitary operators in that interval.

Prediction 5: Convolved time smoothing. Quantum evolutions are subject to noise with a substantial correlation with time-smoothed evolutions.

Time-smoothed evolutions form an interesting restricted class of noisy quantum evolutions aimed at modeling evolutions under the pessimistic scenario when quantum fault-tolerance is unavailable to suppress noise propagation. The basic example of time-smoothing is the following: start with an ideal quantum evolution given by a sequence of unitary operators, where  $U_i$  denotes the unitary operator for the  $i$ -th step,  $i = 1, 2, \dots$ . For  $t < T$  we denote  $U_{[0,t]} = \prod_{i=0}^{t-1} U_i$  and let  $U_{[0,t]}^{-1} = U_{[0,t]}^{-1}$  and  $U_{[t,T]} = U_{[t,T]}$ . The next step is to add noise in a completely standard way: consider a noise operation  $\mathcal{N}_i$  for the  $i$ th step. We can think about the case where the unitary evolution is a quantum-computing process and  $\mathcal{N}_i$  represents a depolarizing noise at a fixed rate acting independently on the qubits. And, finally, replace  $U_{[0,t]}$  with a new noise operation  $\mathcal{N}'$  defined as the average<sup>6</sup>

$$(4.1) \quad \mathcal{N}' = \frac{1}{T} \cdot \sum_{i=0}^{T-1} U_{[0,i]} \mathcal{N}_i U_{[0,i]}^{-1}.$$

Predictions 1–5 are implicit and describe systematic relations between the (effective) noise and the evolution. We expect that time-smoothing will suppress high terms for some Fourier-like expansion,<sup>7</sup> thus relating Predictions 3 and 5. Prediction 4 resembles the picture drawn by Polterovich (2014) of the “unsharpness principle” in symplectic geometry, quantization, and quantum noise.

Remark 4.9. It is reasonable to assume that time-dependent quantum evolutions are inherently noisy since time dependency indicates interaction with an environment. Two caveats: famously, time-dependent evolutions can be simulated by time-independent evolutions, but we can further assume that in such cases the noise lower bounds will transfer. Second, in the context of noise, the environment of, say, an electron refers also to its internal structure.

Remark 4.10. Physical processes are not close to unitary evolutions and there are systematic classical effects (namely, robust effects of interactions with a large “environment”). We certainly cannot model everything with low-degree polynomials. On the other hand, it is unlikely that natural physical evolutions express the full power of P. It will be interesting to understand the complexity of various realistic physical evolutions, and to identify larger relevant classes within P, especially classes for which efficient learnability is possible.

Remark 4.11. Let me list, for more details see (Kalai n.d.), a few features of noisy quantum evolutions and states “above the threshold.” (a) Symmetry. Noisy quantum states and evolutions are subject to noise that respects their symmetries. (b) Entropy lower bounds. Within a symmetry class of quantum states/evolutions (or for classes of states defined in a different way), there is an absolute positive lower bound for entropy. (c) Geometry. Quantum states and evolutions reveal some information on the geometry of (all) their physical realizations.

<sup>6</sup>The need for smoothing into the future as well as into the past follows from Kalai and Kuperberg (2015).

<sup>7</sup>Pauli expansion seems appropriate for the case of quantum circuits; see Montanaro and Osborne (2010).

(d) Fluctuation. Fluctuations in the rate of noise for interacting  $n$ -element systems (even in cases where interactions are weak and unintended) scale like  $n^2$  and not like  $\sqrt{n}$ . (e) Time. The difficulty in implementing a local quantum computing process is not invariant under reversing time.

4.7. Our computational world. The emerging picture from our analysis is that the basic computational power of quantum devices is very limited: unitary evolutions described by noisy local quantum devices are confined to low-degree polynomials. It is classical information and computation that emerge via noise-stable encoding and decoding processes that enable the wealth of computation witnessed in nature. This picture offers many challenges, in its mathematical, physical, and computational aspects, and these can serve as a poor man's replacement for quantum supremacy dreams.

## 5. Conclusion

We have talked about three fascinating puzzles on mathematics and computation, telling a story that involves pure and applied mathematics, theoretical computer science, games of various kinds, physics, and social sciences. The connection and tension between the pure and the applied, between models and reality, and the wide spectrum between foundations and engineering is common to all three puzzles. We find great expectations, surprises, mistakes, disappointments, and controversies at the heart of our endeavor, while seeking truth and understanding in our logical, physical, and human reality. In our sweet professional lives, being wrong while pursuing dreams unfounded in reality is sometimes of value, and second only to being right.

Appendix: abstract objective functions and telling a polytope from its graph

The linear programming local-to-global principle has very nice connections and applications to the combinatorial theory of convex polytopes. Abstract linear objective functions (and Sharir–Welzl's abstract linear programming problems) are related to the notion of shellability. We will bring here one such application: Kalai (1988) – a beautiful proof that I found for the following theorem of Blind and Mani-Levitska (1987) conjectured by Micha A. Perles:

Theorem 5.1. The combinatorial structure of a simple polytope  $P$  is determined by its graph.

We recall that a  $d$ -polytope  $P$  is simple if every vertex belongs to exactly  $d$  edges. Thus the graph of  $P$  is a  $d$ -regular graph. For a simple polytope, every set of  $d$  edges containing a vertex  $v$  determines an  $(d-1)$ -face of  $P$ . Faces of simple polytopes are simple. Consider an ordering  $\prec$  of the vertices of a simple  $d$ -polytope  $P$ . For a nonempty face  $F$  we say that a vertex  $v$  of  $F$  is a local maximum in  $F$  if  $v$  is larger w.r.t. the ordering  $\prec$  than all its neighboring vertices in  $F$ . Recall that an abstract objective function (AOF) of a simple  $d$ -polytope is an ordering that satisfies the basic property of linear objective functions: every nonempty face  $F$  of  $P$  has a unique local maximum vertex.

If  $P$  is a simple  $d$ -polytope and  $\prec$  is a linear ordering of the vertices we define the degree of a vertex  $v$  w.r.t. the ordering as the number of adjacent vertices to  $v$  that are smaller than  $v$  w.r.t.  $\prec$ . Thus, the degree of a vertex is a nonnegative number between 0 and  $d-1$ . Let  $f_d(\prec)$  be the number of vertices of degree  $d-1$ . Finally, let  $F_d(\prec)$  be the total number of nonempty faces of  $P$ .

Claim 1:  $\sum_{d=0}^d 2^{f_d(\prec)} \geq F_d(\prec)$ , and the equality holds if and only if the ordering  $\prec$  is an AOF.

Proof: Count pairs  $(f, v)$  where  $f$  is a nonempty face of  $P$  (of any dimension) and  $v$  is a vertex that is local maximum in  $P$  w.r.t. the ordering  $\prec$ . On the one hand, every vertex of degree  $d$  contributes precisely  $2^{d-1}$  pairs  $(f, v)$  corresponding to all subsets of edges from  $v$  leading to smaller vertices w.r.t.  $\prec$ . Therefore the number of pairs is precisely  $\sum_{f \in \mathcal{F}(P)} 2^{\deg(v)}$ . On the other hand, the number of such pairs is at least  $\sum_{f \in \mathcal{F}(P)} 1$  (every face has at least one local maximum) and it is equal to  $\sum_{f \in \mathcal{F}(P)} 1$  iff every face has exactly one local maximum, i.e, if the ordering is an AOF.

Claim 2: A connected  $d$ -regular subgraph  $G$  of  $P$  is the graph of a  $d$ -face, if and only if there is an AOF in which all vertices in  $G$  are smaller than all vertices not in  $G$ .

Proof: If  $G$  is the graph of a  $d$ -face of  $P$  then consider a linear objective function  $\psi$  that attains its minimum precisely at the points in  $G$ . (By definition for every nontrivial face such a linear objective function exists.) Now perturb  $\psi$  a little to get a generic linear objective function  $\phi$  in which all vertices of  $G$  have smaller values than all other vertices.

On the other hand, if there is an AOF  $\prec$  in which all vertices in  $G$  are smaller than all vertices not in  $G$ , consider the vertex  $v$  of  $G$  that is the largest w.r.t.  $\prec$ . There is a  $d$ -face  $f$  of  $P$  determined by the  $d$ -edges in  $G$  adjacent to  $v$  and  $v$  is a local maximum in this face. Since the ordering is an AOF,  $v$  must be larger than all vertices of  $f$  and hence the vertices of  $f$  are contained in  $G$  and the graph of  $f$  is a subgraph of  $G$ . But the only  $d$ -regular subgraph of a connected  $d$ -regular graph is the graph itself and therefore  $G$  is the graph of  $f$ .

Proof of Theorem ???: Claim 1 allows us to determine just from the graph all the orderings that are AOF's. Using this, claim 2 allows to determine which sets of vertices form the vertices of some  $d$ -dimensional face.  $\square$

The proof gives a poor algorithm and it was an interesting problem to find better algorithms. This is an example where seeking an efficient algorithm was not motivated by questions from computer science but rather a natural aspect of our mathematical understanding. Friedman (2009) found a remarkable LP-based polynomial-time algorithm to tell a simple polytope from its graph. Another important open problem is to extend the theorem to dual graphs of arbitrary triangulations of  $(d-1)$ -dimensional spheres. This is related to deep connections between polytopes and spheres and various areas in commutative algebra and algebraic geometry, pioneered by Richard Stanley.

## References

- S. Aaronson and A. Arkhipov (2013). “The computational complexity of linear optics”. In: Theory Comput. 9, pp. 143–252. arXiv: 1011.3245. MR: 3029555. Zbl: 1298.81046.
- K. A. Adiprasito and B. Benedetti (2014). “The Hirsch conjecture holds for normal flag complexes”. In: Math. Oper. Res. 39.4, pp. 1340–1348. MR: 3279770. Zbl: 1319.52017 (cit. on p. 11).
- I. Adler, R. M. Karp, and R. Shamir (1987). “A simplex variant solving an  $n \times n$  linear program in  $(\min(n^2, n^2))$  expected number of pivot steps”. In: J. Complexity 3.4, pp. 372–387. MR: 919095. Zbl: 0641.65054 (cit. on p. 7).
- I. Adler and N. Megiddo (1985). “A simplex algorithm whose average number of steps is bounded between two quadratic functions of the smaller dimension”. In: J. Assoc. Comput. Mach. 32.4, pp. 871–895. MR: 810342. Zbl: 0634.65044 (cit. on p. 7).
- M. Agrawal, N. Kayal, and N. Saxena (2004). “PRIMES is in P”. In: Ann. of Math. (2) 160.2, pp. 781–793. MR: 2123939. Zbl: 1071.11070 (cit. on p. 12).

- Mat pp. MR:
- D. Aharonov and M. Ben-Or (1999). “Fault-tolerant quantum computation with constant error”. In: STOC '97 (El Paso, TX). ACM, New York, pp. 176–188. MR: [1715632](#). Zbl: [0962.68065](#).
- M. Ajtai and Y. Gurevich (1987). “[Monotone versus positive](#)”. In: J. Assoc. Comput. Mach. 34.4, pp. 1004–1015. MR: [913852](#). Zbl: [0637.94022](#).
- M. Ajtai and N. Linial (1993). “[The influence of large coalitions](#)”. In: Combinatorica 13.2, pp. 129–145. MR: [1237037](#). Zbl: [0807.90148](#) (cit. on p. [18](#)).
- D. J. Aldous (1990). “[The random walk construction of uniform spanning trees and uniform labelled trees](#)”. In: SIAM J. Discrete Math. 3.4, pp. 450–465. MR: [1069105](#). Zbl: [0717.05028](#) (cit. on p. [13](#)).
- N. Alon and J. H. Spencer (2016). The probabilistic method. Fourth. Wiley Series in Discrete Mathematics and Optimization. John Wiley & Sons, Inc., Hoboken, NJ, pp. xiv+375. MR: [3524748](#). Zbl: [1333.05001](#) (cit. on p. [13](#)).
- N. Amenta (1994). “[Helly-type theorems and generalized linear programming](#)”. In: Discrete Comput. Geom. 12.3. ACM Symposium on Computational Geometry (San Diego, CA, 1993), pp. 241–261. MR: [1298910](#). Zbl: [0819.90056](#) (cit. on p. [14](#)).
- S. Arora and B. Barak (2009). [Computational complexity](#). A modern approach. Cambridge University Press, Cambridge, pp. xxiv+579. MR: [2500987](#). Zbl: [1193.68112](#) (cit. on p. [4](#)).
- K. J. Arrow (1951). Social Choice and Individual Values. Cowles Commission Monograph No. 12. John Wiley & Sons, Inc., New York, N. Y.; Chapman & Hall, Ltd., London, pp. xi+99. MR: [0039976](#). Zbl: [0984.91513](#) (cit. on p. [19](#)).
- M. L. Balinski (1984). “[The Hirsch conjecture for dual transportation polyhedra](#)”. In: Math. Oper. Res. 9.4, pp. 629–633. MR: [769400](#). Zbl: [0555.90071](#) (cit. on p. [11](#)).

- (1997b). “The average sensitivity of bounded-depth circuits”. In: Inform. Process. Lett. 63.5, pp. 257–261. MR: 1475339. Zbl: 1337.68124.
- K.-H. Borgwardt (1982). “Some Distribution-Independent Results About the Asymptotic Order of the Average Number of Pivot Steps of the Simplex Method”. In: Mathematics of Operations Research 7.3, pp. 441–462. MR: 0667934. Zbl: 0498.90054 (cit. on p. 7).
- (1987). *The simplex method*. Vol. 1. Algorithms and Combinatorics: Study and Research Texts. A probabilistic analysis. Springer-Verlag, Berlin, pp. xii+268. MR: 868467.
- M. J. Bremner, R. Jozsa, and D. J. Shepherd (2011). “Classical simulation of commuting quantum computations implies collapse of the polynomial hierarchy”. In: Proc. R. Soc. Lond. Ser. A Math. Phys. Eng. Sci. 467.2126, pp. 459–472. MR: 2748102. Zbl: 1219.81071.
- A. Broder (1989). “Generating Random Spanning Trees”. In: Annual Symposium on Foundations of Computer Science (Proceedings), pp. 442–447 (cit. on p. 13).
- C. S. Calude, S. Jain, B. Khoussainov, W. Li, and F. Stephan (2017). “Deciding Parity Games in Quasipolynomial Time”. In: Proceedings of the 49th Annual ACM SIGACT Symposium on Theory of Computing. STOC 2017. Montreal, Canada: ACM, pp. 252–263. MR: 3678186. Zbl: 1369.68234 (cit. on p. 16).
- K. L. Clarkson (1995a). “Las Vegas Algorithms for Linear and Integer Programming when the Dimension is Small”. In: J. ACM 42.2, pp. 488–499. Zbl: 0885.65063 (cit. on p. 7).
- (1995b). “Las Vegas algorithms for linear and integer programming when the dimension is small”. In: J. Assoc. Comput. Mach. 42.2, pp. 488–499. MR: 1409744. Zbl: 0885.65063 (cit. on p. 7).
- A. Condon (1992). “The Complexity of Stochastic Games”. In: 96, pp. 203–224. MR: 1147987. Zbl: 0756.90103.
- S. A. Cook (1971). “The Complexity of Theorem-Proving Procedures”. In: Proceedings of the 3rd annual ACM Symposium on Theory of Computing. New York: ACM Press, pp. 151–158 (cit. on p. 8).
- G. B. Dantzig (1963). *Linear programming and extensions*. Princeton University Press, Princeton, N.J., pp. xvi+625. MR: 0201189. Zbl: 0997.90504.
- E. W. Dijkstra (1959). “A note on two problems in connexion with graphs”. In: Numerische Mathematik 1.1, pp. 269–271. MR: 0107609. Zbl: 0092.16002 (cit. on p. 16).
- I. Dinur (2010). “Probabilistically Checkable Proofs and Codes”. In: Proceedings of the International Congress of Mathematicians (ICM 2010), Hyderabad, India, 19–27 August 2010. Ed. by R. Bhatia, A. Pal, G. Rangarajan, V. Srinivas, and M. Vanninathan. Vol. 1. Int. Math. Union. World Scientific, pp. 265–285. Zbl: 1252.68139.
- M. Dyer and A. Frieze (1994). “Random walks, totally unimodular matrices, and a randomised dual simplex algorithm”. In: Math. Programming 64.1, Ser. A, pp. 1–16. MR: 1274170. Zbl: 0820.90066 (cit. on p. 11).
- M. Dyer, A. Frieze, and R. Kannan (1991). “A random polynomial-time algorithm for approximating the volume of convex bodies”. In: J. Assoc. Comput. Mach. 38.1, pp. 1–17. MR: 1095916. Zbl: 0799.68107 (cit. on p. 13).
- J. Edmonds and R. M. Karp (1970). “Theoretical improvements in algorithmic efficiency for network flow problems”. In: Combinatorial Structures and their Applications (Proc. Calgary Internat. Conf., Calgary, Alta., 1969). Gordon and Breach, New York, pp. 93–96. MR: 0266680. Zbl: 0248.90056.
- F. Eisenbrand, N. Hähnle, A. Razborov, and T. Rothvoß (2010). “Diameter of polyhedra: limits of abstraction”. In: Math. Oper. Res. 35.4, pp. 786–794. MR: 2777514. Zbl: 1226.52004 (cit. on p. 11).

- J. Fearnley and R. Savani (2015). “The complexity of the simplex method”. In: STOC’15—Proceedings of the 2015 ACM Symposium on Theory of Computing. ACM, New York, pp. 201–208. MR: [3388198](#). Zbl: [1321.90079](#) (cit. on p. 16).
- R. P. Feynman (1981/82). “Simulating physics with computers”. In: Internat. J. Theoret. Phys. 21.6-7. Physics of computation, Part II (Dedham, Mass., 1981), pp. 467–488. MR: [658311](#).
- E. Friedgut (1998). “Boolean functions with low average sensitivity depend on few coordinates”. In: Combinatorica 18.1, pp. 27–35. MR: [1645642](#). Zbl: [0909.06008](#).
- E. Friedgut and G. Kalai (1996). “Every monotone graph property has a sharp threshold”. In: Proc. Amer. Math. Soc. 124.10, pp. 2993–3002. MR: [1371123](#). Zbl: [0864.05078](#).
- E. Friedgut, G. Kalai, N. Keller, and N. Nisan (2011). “A quantitative version of the Gibbard-Satterthwaite theorem for three alternatives”. In: SIAM J. Comput. 40.3, pp. 934–952. MR: [2823513](#). Zbl: [1229.05264](#) (cit. on p. 19).
- E. J. Friedman (2009). “Finding a simple polytope from its graph in polynomial time”. In: Discrete Comput. Geom. 41.2, pp. 249–256. MR: [2471873](#). Zbl: [1163.52004](#).
- O. Friedmann, T. D. Hansen, and U. Zwick (2011). “Subexponential lower bounds for randomized pivoting rules for the simplex algorithm”. In: STOC’11—Proceedings of the 43rd ACM Symposium on Theory of Computing. ACM, New York, pp. 283–292. MR: [2931978](#). Zbl: [1288.68090](#) (cit. on pp. 8, 16).
- (2014). “Random-Facet and Random-Bland require subexponential time even for shortest paths” (cit. on pp. 8, 16).
- C. Garban, G. Pete, and O. Schramm (2010). “The Fourier spectrum of critical percolation”. In: Acta Math. 205.1, pp. 19–104. MR: [2736153](#). Zbl: [1219.60084](#).
- C. Garban and J. E. Steif (2015). *Noise sensitivity of Boolean functions and percolation*. Institute of Mathematical Statistics Textbooks. Cambridge University Press, New York, pp. xvii+203. MR: [3468568](#). Zbl: [1355.06001](#) (cit. on p. 5).
- B. Gärtner (1998). “Combinatorial linear programming: geometry can help”. In: Randomization and approximation techniques in computer science (Barcelona, 1998). Vol. 1518. Lecture Notes in Comput. Sci. Springer, Berlin, pp. 82–96. MR: [1729164](#). Zbl: [0967.90078](#) (cit. on p. 14).
- A. Gibbard (1973). “Manipulation of voting schemes: a general result”. In: Econometrica 41, pp. 587–601. MR: [0441407](#). Zbl: [0325.90081](#) (cit. on p. 19).
- M. X. Goemans and D. P. Williamson (1995). “Improved approximation algorithms for maximum cut and satisfiability problems using semidefinite programming”. In: J. Assoc. Comput. Mach. 42.6, pp. 1115–1145. MR: [1412228](#). Zbl: [0885.68088](#).
- O. Goldreich (2008). *Computational complexity. A conceptual perspective*. Cambridge University Press, Cambridge, pp. xxiv+606. MR: [2400985](#). Zbl: [1154.68056](#) (cit. on p. 4).
- (2010). *P, NP, and NP-completeness. The basics of computational complexity*. Cambridge University Press, Cambridge, pp. xxx+184. MR: [2779481](#). Zbl: [1230.68006](#) (cit. on p. 4).
- M. Grötschel, L. Lovász, and A. Schrijver (1981). “The ellipsoid method and its consequences in combinatorial optimization”. In: Combinatorica 1.2, pp. 169–197. MR: [625550](#). Zbl: [0492.90056](#) (cit. on p. 7).
- M. Grötschel, L. Lovász, and A. Schrijver (1993). *Geometric algorithms and combinatorial optimization*. Second. Vol. 2. Algorithms and Combinatorics. Springer-Verlag, Berlin, pp. xii+362. MR: [1261419](#). Zbl: [0837.05001](#) (cit. on p. 7).
- B. Grünbaum (1967). *Convex polytopes*. With the cooperation of Victor Klee, M. A. Perles and G. C. Shephard. Pure and Applied Mathematics, Vol. 16. Interscience Publishers John Wiley & Sons, Inc., New York, pp. xiv+456. MR: [0226496](#). Zbl: [0163.16603](#) (cit. on p. 4).



- (2003). **Convex polytopes**. Second. Vol. 221. Graduate Texts in Mathematics. Prepared and with a preface by Volker Kaibel, Victor Klee and Günter M. Ziegler. Springer-Verlag, New York, pp. xvi+468. MR: [1976856](#). Zbl: [1024.52001](#) (cit. on p. 4).
- L. G. Hačijan (1979). “A polynomial algorithm in linear programming”. In: Dokl. Akad. Nauk SSSR 244.5, pp. 1093–1096. MR: [522052](#). Zbl: [0414.90086](#) (cit. on p. 10).
- N. Hähnle (2010). Post in G. Kalai, Polymath 3: Polynomial Hirsch Conjecture (cit. on p. 11).
- N. Halman (2004). “**On the power of discrete and of lexicographic Helly-type theorems**”. In: 45th Annual IEEE Symposium on Foundations of Computer Science, pp. 463–472 (cit. on p. 14).
- (2007). “**Simple stochastic games, parity games, mean payoff games and discounted payoff games are all LP-type problems**”. In: Algorithmica 49.1, pp. 37–50. MR: [2344393](#). Zbl: [1131.91012](#).
- T. D. Hansen and U. Zwick (2015). “An improved version of the random-facet pivoting rule for the simplex algorithm”. In: STOC’15—Proceedings of the 2015 ACM Symposium on Theory of Computing. ACM, New York, pp. 209–218. MR: [3388199](#). Zbl: [1321.90080](#) (cit. on p. 14).
- J. Håstad (2001). “**A slight sharpening of LMN**”. In: J. Comput. System Sci. 63.3, pp. 498–508. MR: [1892862](#). Zbl: [1052.94506](#).
- J. Håstad and M. Goldmann (1991). “**On the power of small-depth threshold circuits**”. In: Comput. Complexity 1.2, pp. 113–129. MR: [1134945](#). Zbl: [0774.68060](#).
- J. Hastad (1986). “Almost Optimal Lower Bounds for Small Depth Circuits”. In: Advances in Computing Research 5, pp. 143–170.
- M. Isaksson, G. Kindeler, and E. Mossel (2010). “The geometry of manipulation—a quantitative proof of the Gibbard Satterthwaite theorem”. In: 2010 IEEE 51st Annual Symposium on Foundations of Computer Science—FOCS 2010. IEEE Computer Soc., Los Alamitos, CA, pp. 319–328. MR: [3025205](#). Zbl: [1265.05015](#) (cit. on p. 19).
- M. S. J. Matoušek and E. Welzl (1992). “A subexponential bound for linear programming”. In: Proc. 8th Annual Symp. on Computational Geometry, pp. 1–8. Zbl: [0857.68119](#) (cit. on p. 13).
- M. Jerrum and A. Sinclair (1989). “**Approximating the permanent**”. In: SIAM J. Comput. 18.6, pp. 1149–1178. MR: [1025467](#). Zbl: [0723.05107](#) (cit. on p. 13).
- M. Jerrum, A. Sinclair, and E. Vigoda (2001). “A polynomial-time approximation algorithm for the permanent of a matrix with non-negative entries”. In: Proceedings of the Thirty-Third Annual ACM Symposium on Theory of Computing. ACM, New York, pp. 712–721. MR: [2120374](#). Zbl: [1323.68571](#) (cit. on p. 13).
- S. P. Jordan, K. S. M. Lee, and J. Preskill (2014). “Quantum computation of scattering in scalar quantum field theories”. In: Quantum Inf. Comput. 14.11-12, pp. 1014–1080. MR: [3241901](#).
- J. Kahn, G. Kalai, and N. Linial (1988). “The influence of variables on Boolean functions”. In: Proc. 29th Symposium on the Foundations of Computer Science, pp. 68–80 (cit. on p. 18).
- G. Kalai (1992a). “A Subexponential Randomized Simplex Algorithm (Extended Abstract)”. In: pp. 475–482.
- G. Kalai (1988). “**A simple way to tell a simple polytope from its graph**”. In: J. Combin. Theory Ser. A 49.2, pp. 381–383. MR: [964396](#). Zbl: [0673.05087](#).

- (1991). “The diameter of graphs of convex polytopes and  $\ell_1$ -vector theory”. In: Applied geometry and discrete mathematics. Vol. 4. DIMACS Ser. Discrete Math. Theoret. Comput. Sci. Amer. Math. Soc., Providence, RI, pp. 387–411. MR: [1116365](#). Zbl: [0739.52017](#) (cit. on p. 11).
- (1992b). “Upper bounds for the diameter and height of graphs of convex polyhedra”. In: Discrete Comput. Geom. 8.4, pp. 363–372. MR: [1176376](#). Zbl: [0764.52003](#) (cit. on pp. 8, 10, 13).
- (2002). “A Fourier-theoretic perspective on the Condorcet paradox and Arrow’s theorem”. In: Adv. in Appl. Math. 29.3, pp. 412–426. MR: [1942631](#). Zbl: [1038.91027](#) (cit. on p. 19).
- (2004). “Social indeterminacy”. In: Econometrica 72.5, pp. 1565–1581. MR: [2078213](#). Zbl: [1141.91373](#) (cit. on p. 19).
- (2010). “Noise sensitivity and chaos in social choice theory”. In: Fete of combinatorics and computer science. Vol. 20. Bolyai Soc. Math. Stud. János Bolyai Math. Soc., Budapest, pp. 173–212. MR: [2797965](#). Zbl: [1206.91033](#).
- (2016). “The quantum computer puzzle”. In: Notices Amer. Math. Soc. 63.5. Expanded version at the ArXiv [Kalai n.d.](#), pp. 508–516. MR: [3445403](#). Zbl: [1354.81009](#) (cit. on p. 5).
- (n.d.). “The quantum computer puzzle – expanded version”. In: Expanded version at the ArXiv. MR: [2264809](#). Zbl: [1354.81009](#) (cit. on p. 5).
- G. Kalai and G. Kindler (2014). “Gaussian noise sensitivity and BosonSampling” (cit. on pp. 4, 5).
- G. Kalai and D. J. Kleitman (1992). “A quasi-polynomial bound for the diameter of graphs of polyhedra”. In: Bull. Amer. Math. Soc. (N.S.) 26.2, pp. 315–316. MR: [1130448](#). Zbl: [0751.52006](#) (cit. on p. 8).
- G. Kalai and G. Kuperberg (2015). “Contagious error sources would need time travel to prevent quantum computation”. In: Phys. Rev. A 92 (2), p. 022345.
- G. Kalai and S. Safra (2006). “Threshold phenomena and influence: perspectives from mathematics, computer science, and economics”. In: Computational complexity and statistical physics. St. Fe Inst. Stud. Sci. Complex. Oxford Univ. Press, New York, pp. 25–60. MR: [2208732](#). Zbl: [1156.82317](#) (cit. on p. 5).
- A. R. Karlin and Y. Peres (2017). Game theory, alive. American Mathematical Society, Providence, RI, pp. xxvi+372. MR: [3642417](#). Zbl: [06725431](#) (cit. on p. 4).
- N. Karmarkar (1984). “A new polynomial-time algorithm for linear programming”. In: Combinatorica 4.4, pp. 373–395. MR: [779900](#). Zbl: [0557.90065](#).
- R. Karp (1972). “Reducibility among combinatorial problems”. In: Complexity of Computer Computations. Ed. by R. Miller and J. Thatcher. Plenum Press, pp. 85–103 (cit. on p. 9).
- N. Keller (2012). “A tight quantitative version of Arrow’s impossibility theorem”. In: J. Eur. Math. Soc. (JEMS) 14.5, pp. 1331–1355. MR: [2966653](#). Zbl: [1264.91056](#) (cit. on p. 19).
- S. Khot and O. Regev (2003). “Vertex cover might be hard to approximate to within  $2 - \epsilon$ ”. In: Proc. of 18th IEEE Annual Conference on Computational Complexity (CCC), pp. 379–386.
- S. Khot (2002). “On the power of unique 2-prover 1-round games”. In: Proceedings of the Thirty-Fourth Annual ACM Symposium on Theory of Computing. ACM, New York, pp. 767–775. MR: [2121525](#). Zbl: [1192.68367](#).
- S. Khot, G. Kindler, E. Mossel, and R. O’Donnell (2007). “Optimal inapproximability results

- A. Y. Kitaev (1997). “Quantum Error Correction with Imperfect Gates”. In: Quantum Communication, Computing, and Measurement. Ed. by O. Hirota, A. S. Holevo, and C. M. Caves. Boston, MA: Springer US, pp. 181–188.
- V. Klee and G. J. Minty (1972). “How good is the simplex algorithm?” In: pp. 159–175. MR: [0332165](#). Zbl: [0297.90047](#) (cit. on p. 6).
- V. Klee and D. W. Walkup (1967). “The  $k$ -step conjecture for polyhedra of dimension  $< 6$ ”. In: Acta Math. 117, pp. 53–78. MR: [0206823](#). Zbl: [0163.16801](#) (cit. on p. 7).
- E. Knill, R. Laflamme, and W. H. Zurek (1998). “Resilient quantum computation: error models and thresholds”. In: Proceedings of the Royal Society of London A: Mathematical, Physical and Engineering Sciences 454.1969, pp. 365–384. arXiv: [quant-ph/9702058](#). MR: [0684479](#). Zbl: [0915.68054](#). eprint: <http://rspa.royalsocietypublishing.org/content/454/1969/365.full.pdf>.
- R. Landauer (1995). “Is quantum mechanics useful?” In: Philos. Trans. Roy. Soc. London Ser. A 353.1703, pp. 367–376. MR: [1374512](#).
- A. J. Lazarus, D. E. Loeb, J. G. Propp, W. R. Stromquist, and D. H. Ullman (1999). “Combinatorial games under auction play”. In: Games Econom. Behav. 27.2, pp. 229–264. MR: [1685133](#). Zbl: [0949.91001](#) (cit. on p. 22).
- L. A. Levin (1973). “Universal enumeration problems”. In: Problemy Peredači Informacii 9.3, pp. 115–116. MR: [0340042](#). Zbl: [0313.02026](#) (cit. on p. 8).
- N. Linial, Y. Mansour, and N. Nisan (1993). “Constant depth circuits, Fourier transform, and learnability”. In: J. Assoc. Comput. Mach. 40.3, pp. 607–620. MR: [1370363](#). Zbl: [0781.94006](#).
- L. Lovász (1979). “On determinants, matchings, and random algorithms”. In: Fundamentals of computation theory (Proc. Conf. Algebraic, Arith. and Categorical Methods in Comput. Theory, Berlin/Wendisch-Rietz, 1979). Vol. 2. Math. Res. Akademie-Verlag, Berlin, pp. 565–574. MR: [563723](#) (cit. on p. 12).
- W. Ludwig (1995). “A subexponential randomized algorithm for the simple stochastic game problem”. In: Inform. and Comput. 117.1, pp. 151–155. MR: [1318818](#). Zbl: [0827.90141](#) (cit. on p. 8).
- M. Maschler, E. Solan, and S. Zamir (2013). *Game theory*. Translated from Hebrew by Ziv Hellman and edited by Mike Borns. Cambridge University Press, Cambridge, pp. xxvi+979. MR: [3154588](#). Zbl: [06303371](#) (cit. on p. 4).
- J. Matoušek (1994). “Lower Bounds for a Subexponential Optimization Algorithm”. In: 5.4, pp. 591–608. MR: [1293081](#). Zbl: [0824.90094](#) (cit. on p. 14).
- J. Matoušek and B. Gärtner (2007). *Understanding and Using Linear Programming*. Springer. Zbl: [1133.90001](#) (cit. on p. 4).
- T. Matoušek Jiří and Szabó (2006). “RANDOM EDGE can be exponential on abstract cubes”. In: Adv. Math. 204.1, pp. 262–277. MR: [2233134](#). Zbl: [1104.90031](#) (cit. on pp. 8, 14).
- B. Matschke, F. Santos, and C. Weibel (2015). “The width of five-dimensional prisms”. In: Proc. Lond. Math. Soc. (3) 110.3, pp. 647–672. MR: [3345336](#). Zbl: [1330.52015](#) (cit. on p. 12).
- D. C. McGarvey (1953). “A theorem on the construction of voting paradoxes”. In: Econometrica 21, pp. 608–610. MR: [0062415](#) (cit. on p. 19).
- N. Megiddo (1988). “A note on the complexity of P-matrix LCP and computing an equilibrium”. Research Report RJ 6439, IBM Almaden Research Center, San Jose, CA 95120 (cit. on p. 16).
- N. Megiddo (1983). “Towards a genuinely polynomial algorithm for linear programming”. In: SIAM J. Comput. 12.2, pp. 347–353. MR: [697165](#). Zbl: [0532.90061](#).

- (1984). “Linear programming in linear time when the dimension is fixed”. In: *J. Assoc. Comput. Mach.* 31.1, pp. 114–127. MR: 821388. Zbl: 0637.90064 (cit. on p. 7).
- G. L. Miller (1976). “Riemann’s hypothesis and tests for primality”. In: *J. Comput. System Sci.* 13.3. Working papers presented at the ACM-SIGACT Symposium on the Theory of Computing (Albuquerque, N.M., 1975), pp. 300–317. MR: 0480295. Zbl: 0349.68025.
- A. Montanaro and T. J. Osborne (2010). “Quantum Boolean functions”. In: *Chic. J. Theoret. Comput. Sci.* Article 1, 41. MR: 2723518. Zbl: 1286.68161.
- E. Mossel (2012). “A quantitative Arrow theorem”. In: *Probab. Theory Related Fields* 154.1-2, pp. 49–88. MR: 2981417. Zbl: 1269.60010 (cit. on p. 19).
- E. Mossel, R. O’Donnell, and K. Oleszkiewicz (2010). “Noise stability of functions with low influences: invariance and optimality”. In: *Ann. of Math. (2)* 171.1, pp. 295–341. MR: 2630040. Zbl: 1201.60031 (cit. on p. 19).
- E. Mossel and M. Z. Rácz (2015). “A quantitative Gibbard-Satterthwaite theorem without neutrality”. In: *Combinatorica* 35.3, pp. 317–387. MR: 3367129. Zbl: 1363.05001 (cit. on p. 19).
- D. Naddef (1989). “The Hirsch conjecture is true for  $(0, 1)$ -polytopes”. In: *Math. Programming* 45.1, (Ser. B), pp. 109–110. MR: 1017214. Zbl: 0684.90071 (cit. on p. 11).
- C. Neill et al. (n.d.). “A blueprint for demonstrating quantum supremacy with superconducting qubits” (cit. on p. 4).
- M. A. Nielsen and I. L. Chuang (2000). *Quantum computation and quantum information*. Cambridge University Press, Cambridge, pp. xxvi+676. MR: 1796805. Zbl: 1049.81015 (cit. on p. 5).
- R. O’Donnell (2014). *Analysis of Boolean functions*. Cambridge University Press, New York, pp. xx+423. MR: 3443800. Zbl: 1336.94096 (cit. on p. 5).
- R. O’Donnell, M. Saks, O. Schramm, and R. Servedio (2005). “Every decision tree has an influential variable”. In: 2005 (cit. on p. 22).
- C. H. Papadimitriou (1994). “On the complexity of the parity argument and other inefficient proofs of existence”. In: *J. Comput. System Sci.* 48.3. 31st Annual Symposium on Foundations of Computer Science (FOCS) (St. Louis, MO, 1990), pp. 498–532. MR: 1279412. Zbl: 0806.68048 (cit. on p. 15).
- B. Peleg (1984). *Game Theoretic Analysis of Voting in Committees*. Cambridge: Cambridge University Press. MR: 0852550. Zbl: 0563.90002 (cit. on p. 20).
- Y. Peres, O. Schramm, S. Sheffield, and D. B. Wilson (2007). “Random-turn hex and other selection games”. In: *Amer. Math. Monthly* 114.5, pp. 373–387. MR: 2309980. Zbl: 1153.91012 (cit. on p. 22).
- I. Pitowsky (1990). “The physical Church thesis and physical computational complexity”. In: *lyuun, A Jerusalem Philosophical Quarterly* 39, pp. 81–99.
- L. Polterovich (2014). “Symplectic geometry of quantum noise”. In: *Comm. Math. Phys.* 327.2, pp. 481–519. MR: 3183407. Zbl: 1291.81198.
- J. S. Provan and L. J. Billera (1980). “Decompositions of simplicial complexes related to diameters of convex polyhedra”. In: *Math. Oper. Res.* 5.4, pp. 576–594. MR: 593648. Zbl: 0457.52005 (cit. on p. 11).
- M. O. Rabin (1980). “Probabilistic algorithm for testing primality”. In: *J. Number Theory* 12.1, pp. 128–138. MR: 566880. Zbl: 0426.10006 (cit. on p. 12).
- P. Raghavendra (2008). “Optimal algorithms and inapproximability results for every CSP? [extended abstract]”. In: *STOC’08. ACM, New York*, pp. 245–254. MR: 2582901. Zbl: 1231.68142.

- D. Randall and D. B. Wilson (1999). “Sampling spin configurations of an Ising system”. In: 10th Symposium on Discrete Algorithms (SODA), pp. 959–960. Zbl: [1052.82525](#) (cit. on p. [13](#)).
- F. Santos (2012). “A counterexample to the Hirsch conjecture”. In: *Ann. of Math.* (2) 176.1, pp. 383–412. MR: [2925387](#). Zbl: [1252.52007](#) (cit. on pp. [8](#), [11](#)).
- M. A. Satterthwaite (1975). “Strategy-proofness and Arrow’s conditions: Existence and correspondence theorems for voting procedures and social welfare functions”. In: *J. Econom. Theory* 10.2, pp. 187–217. MR: [0414051](#). Zbl: [0315.90088](#) (cit. on p. [19](#)).
- O. Schramm and J. E. Steif (2010). “Quantitative noise sensitivity and exceptional times for percolation”. In: *Ann. of Math.* (2) 171.2, pp. 619–672. MR: [2630053](#). Zbl: [1213.60160](#).
- A. Schrijver (1986). *Theory of linear and integer programming*. Wiley-Interscience Series in Discrete Mathematics. A Wiley-Interscience Publication. John Wiley & Sons, Ltd., Chichester, pp. xii+471. MR: [874114](#). Zbl: [0970.90052](#) (cit. on p. [4](#)).
- (2003a). *Combinatorial optimization. Polyhedra and efficiency*. Vol. A. Vol. 24. Algorithms and Combinatorics. Paths, flows, matchings, Chapters 1–38. Springer-Verlag, Berlin, pp. xxxviii+647. MR: [1956924](#) (cit. on p. [4](#)).
  - (2003b). *Combinatorial optimization. Polyhedra and efficiency*. Vol. B. Vol. 24. Algorithms and Combinatorics. Matroids, trees, stable sets, Chapters 39–69. Springer-Verlag, Berlin, i–xxxiv and 649–1217. MR: [1956925](#) (cit. on p. [4](#)).
  - (2003c). *Combinatorial optimization. Polyhedra and efficiency*. Vol. C. Vol. 24. Algorithms and Combinatorics. Disjoint paths, hypergraphs, Chapters 70–83. Springer-Verlag, Berlin, i–xxxiv and 1219–1881. MR: [1956926](#) (cit. on p. [4](#)).
- R. Seidel (1991). “Small-dimensional linear programming and convex hulls made easy”. In: *Discrete Comput. Geom.* 6.5, pp. 423–434. MR: [1115100](#). Zbl: [0747.90066](#) (cit. on p. [7](#)).
- M. Sharir and E. Welzl (1992). “A combinatorial bound for linear programming and related problems”. In: *STACS 92 (Cachan, 1992)*. Vol. 577. Lecture Notes in Comput. Sci. Springer, Berlin, pp. 569–579. MR: [1255620](#) (cit. on p. [8](#)).
- P. W. Shor (1999). “Polynomial-time algorithms for prime factorization and discrete logarithms on a quantum computer”. In: *SIAM Rev.* 41.2. Earlier version: FOCS 1994, pp. 303–332. MR: [1684546](#). Zbl: [1005.11507](#).
- D. R. Simon (1997). “On the power of quantum computation”. In: *SIAM J. Comput.* 26.5. Earlier version: FOCS 1994, pp. 1474–1483. MR: [1471989](#). Zbl: [0883.03024](#).
- S. Smale (1983). “On the average number of steps of the simplex method of linear programming”. In: *Math. Programming* 27.3, pp. 241–262. MR: [725621](#). Zbl: [0526.90060](#) (cit. on p. [7](#)).
- (2000). “Mathematical problems for the next century”. In: *Mathematics: frontiers and perspectives*. Amer. Math. Soc., Providence, RI, pp. 271–294. MR: [1754783](#). Zbl: [1031.00005](#).
- R. Solovay and V. Strassen (1977). “A fast Monte-Carlo test for primality”. In: *SIAM J. Comput.* 6.1, pp. 84–85. MR: [0429721](#). Zbl: [0345.10002](#) (cit. on p. [12](#)).
- D. A. Spielman and S.-H. Teng (2004). “Smoothed analysis of algorithms: why the simplex algorithm usually takes polynomial time”. In: *J. ACM* 51.3, pp. 385–463. MR: [2145860](#). Zbl: [1192.90120](#) (cit. on p. [7](#)).
- É. Tardos (1986). “A strongly polynomial algorithm to solve combinatorial linear programs”. In: *Oper. Res.* 34.2, pp. 250–256. MR: [861043](#). Zbl: [0626.90053](#) (cit. on p. [10](#)).

- B. M. Terhal and D. P. DiVincenzo (2004). “Adaptive quantum computation, constant depth quantum circuits and Arthur-Merlin games”. In: *Quantum Inf. Comput.* 4.2, pp. 134–145. arXiv: [quant-ph/0205133](https://arxiv.org/abs/quant-ph/0205133). MR: [2065355](#). Zbl: [1175.68185](#).
- M. J. Todd (1986). “Polynomial expected behavior of a pivoting algorithm for linear complementarity and linear programming problems”. In: *Math. Programming* 35.2, pp. 173–192. MR: [845756](#). Zbl: [0613.90094](#) (cit. on p. 7).
- (2002). “The many facets of linear programming”. In: *Math. Program.* 91.3, Ser. B. ISMP 2000, Part 1 (Atlanta, GA), pp. 417–436. MR: [1888985](#). Zbl: [1030.90051](#) (cit. on p. 4).
- (2014). “An improved Kalai-Kleitman bound for the diameter of a polyhedron”. In: *SIAM J. Discrete Math.* 28.4, pp. 1944–1947. MR: [3278836](#). Zbl: [1316.52021](#) (cit. on p. 11).
- L. Troyansky and N. Tishby (1996). “Permanent uncertainty: On the quantum evaluation of the determinant and the permanent of a matrix”. In: *Proc. 4th Workshop on Physics and Computation*.
- B. S. Tsirelson and A. M. Vershik (1998). “Examples of nonlinear continuous tensor products of measure spaces and non-Fock factorizations”. In: *Rev. Math. Phys.* 10.1, pp. 81–145. MR: [1606855](#). Zbl: [0912.46022](#).
- B. Tsirelson (2004). “Scaling limit, noise, stability”. In: *Lectures on probability theory and statistics*. Vol. 1840. *Lecture Notes in Math.* Springer, Berlin, pp. 1–106. MR: [2079671](#). Zbl: [1056.60009](#).
- W. G. Unruh (1995). “Maintaining coherence in quantum computers”. In: *Phys. Rev. A* 51, pp. 992–997.
- A. Wigderson and D. Xiao (2008). “Derandomizing the Ahlswede-Winter matrix-valued Chernoff bound using pessimistic estimators, and applications”. In: *Theory Comput.* 4, pp. 53–76. MR: [2403380](#). Zbl: [1213.68697](#).
- D. B. Wilson (1996). “Generating random spanning trees more quickly than the cover time”. In: *Proceedings of the Twenty-eighth Annual ACM Symposium on the Theory of Computing* (Philadelphia, PA, 1996). ACM, New York, pp. 296–303. MR: [1427525](#). Zbl: [0946.60070](#) (cit. on p. 13).
- S. Wolfram (1985). “Undecidability and intractability in theoretical physics”. In: *Phys. Rev. Lett.* 54 (8), pp. 735–738.
- A. C. Yao (1989). “Circuits and Local Computation”. In: *Proceedings of the Twenty-first Annual ACM Symposium on Theory of Computing*. STOC ’89. Seattle, Washington, USA: ACM, pp. 186–196.
- G. M. Ziegler (1995). *Lectures on polytopes*. Vol. 152. *Graduate Texts in Mathematics*. Springer-Verlag, New York, pp. x+370. MR: [1311028](#). Zbl: [0823.52002](#) (cit. on p. 4).  
E-mail address: KALAI@MATH.HUJI.AC.IL